



**National Accreditation Board for
Testing and Calibration Laboratories**

CERTIFICATE OF ACCREDITATION

**ACCURATE UNIVERSAL LABORATORIES
PRIVATE LIMITED**

has been assessed and accredited in accordance with the standard

ISO/IEC 17025:2017

**"General Requirements for the Competence of Testing &
Calibration Laboratories"**

and fulfills the requirements of FSSAI, EIC, APEDA & IOPEPC

for its facilities at

D-171 to 174, 263 to 266, Siddhi Industrial Park, Kazipur Dariyapur,
Bardolpura, Ahmedabad, Gujarat

in the field of

TESTING

Certificate Number TC-5021 (Integrated)

Issue Date 27/03/2025

Valid Until 26/03/2027

FSSAI: 27/03/2025, EIC: 18/04/2025, APEDA: 27/03/2025, IOPEPC: 27/03/2025

This certificate remains valid for the Scope of Accreditation as specified in the annexure subject to continued satisfactory compliance to the above standard & the relevant requirements of NABL.

(To see the scope of accreditation of this laboratory, you may also visit NABL website www.nabl-india.org)

Name of Legal Entity : ACCURATE UNIVERSAL LABORATORIES PRIVATE LIMITED

Signed for and on behalf of NABL



89076970100030002468

Anuja
Anuja Anand
Director

N. Venkateswaran
N. Venkateswaran
Chief Executive Officer



**National Accreditation Board for
Testing and Calibration Laboratories
&
Export Inspection Council
(Ministry of Commerce & Industry, Govt. of
India)**



SCOPE OF ACCREDITATION

Laboratory Name **Accurate Universal Laboratories Private Limited, D-171 to 174, 263 to 266, Siddhi Industrial Park, Kazipur Dariyapur, Bardolpura, Ahmedabad, Gujarat**

Accreditation Standard **ISO/IEC 17025: 2017**

Certificate No. **TC-5021 (Integrated)**

Page No. **1 of 49**

Validity **18.04.2025 to 26.03.2027**

Last Amended on **-**

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests Performed	Test Method Specification against which tests are performed and / or the techniques / equipment used	Range of Testing / Limits of Detection
------	--------------------	------------------------------	--	--	--

Permanent Facility

1.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Bakery & Confectionary Products	Shigella	ISO 21567:2004	Present/Absent in 25gm/ ml
2.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Bakery & Confectionary Products	Coliform (Enumeration)	ISO 4832:2006	≥ 1cfu/ml OR ≥10cfu/gm
3.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Bakery & Confectionary Products	E. coli (Detection)	ISO 7251:2005	Present/Absent in gm/ ml
4.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Bakery & Confectionary Products	E. coli (Enumeration)	ISO 16649-2:2001	≥ 1cfu/ml OR ≥10cfu/gm
5.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Bakery & Confectionary Products	S.aureus (Enumeration)	ISO 6888-1:2021	≥ 1cfu/ml OR ≥10cfu/gm
6.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Bakery & Confectionary Products	S.aureus (Detection)	ISO 6888-3:2003	Present/Absent in gm/ ml
7.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Bakery & Confectionary Products	Total Bacterial Count/ Total Plate Count/ Aerobic Plate Count/ Aerobic Colony Count	ISO 4833-1:2013	≥ 1cfu/ml OR ≥10cfu/gm
8.	BIOLOGICAL/ FOOD AND AGRICULTURAL	Bakery & Confectionary Products	Yeast and Mould Count	ISO 21527-2:2008	≥ 1cfu/ml OR ≥10cfu/gm



**National Accreditation Board for
Testing and Calibration Laboratories
&
Export Inspection Council
(Ministry of Commerce & Industry, Govt. of
India)**



SCOPE OF ACCREDITATION

Laboratory Name **Accurate Universal Laboratories Private Limited, D-171 to 174, 263 to 266, Siddhi Industrial Park, Kazipur Dariyapur, Bardolpura, Ahmedabad, Gujarat**

Accreditation Standard **ISO/IEC 17025: 2017**

Certificate No. **TC-5021 (Integrated)**

Page No. **2 of 49**

Validity **18.04.2025 to 26.03.2027**

Last Amended on **-**

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests Performed	Test Method Specification against which tests are performed and / or the techniques / equipment used	Range of Testing / Limits of Detection
	PRODUCTS				
9.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Bakery & Confectionary Products	Salmonella	ISO 6579-1:2017	Present/Absent in 25gm/ ml
10.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Beverages (Alcoholic/Non Alcoholic)	Shigella	ISO 21567:2004	Present/Absent in 25gm/ ml
11.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Beverages (Alcoholic/Non Alcoholic)	Coliform (Enumeration)	ISO 4832:2006	≥ 1cfu/ml OR ≥10cfu/gm
12.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Beverages (Alcoholic/Non Alcoholic)	E. coli (Detection)	ISO 725:2005	Present/Absent in gm/ ml
13.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Beverages (Alcoholic/Non Alcoholic)	E.coli (Enumeration)	ISO 16649-2:2001	≥ 1cfu/ml OR ≥10cfu/gm
14.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Beverages (Alcoholic/Non Alcoholic)	S.aureus(Enumeration)	ISO 6888-1:2021	≥ 1cfu/ml OR ≥10cfu/gm
15.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Beverages (Alcoholic/Non Alcoholic)	Salmonella	ISO 6579-1:2017	Present/Absent in 25gm/ ml
16.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Beverages (Alcoholic/Non Alcoholic)	Total Bacterial Count/ Total Plate Count/ Aerobic Plate Count/ Aerobic Colony Count	ISO 4833-1:2013	≥ 1cfu/ml OR ≥10cfu/gm



**National Accreditation Board for
Testing and Calibration Laboratories
&
Export Inspection Council
(Ministry of Commerce & Industry, Govt. of
India)**



SCOPE OF ACCREDITATION

Laboratory Name **Accurate Universal Laboratories Private Limited, D-171 to 174, 263 to 266, Siddhi Industrial Park, Kazipur Dariyapur, Bardolpura, Ahmedabad, Gujarat**

Accreditation Standard **ISO/IEC 17025: 2017**

Certificate No. **TC-5021 (Integrated)**

Page No. **3 of 49**

Validity **18.04.2025 to 26.03.2027**

Last Amended on **-**

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests Performed	Test Method Specification against which tests are performed and / or the techniques / equipment used	Range of Testing / Limits of Detection
17.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Beverages (Alcoholic/Non Alcoholic)	Yeast and Mould Count	ISO 21527-2:2008	≥ 1cfu/ml OR ≥10cfu/gm
18.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Canned & Processed Food	E.coli (Enumeration)	ISO 16649-2:2001	≥ 1cfu/ml OR ≥10cfu/gm
19.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Canned & Processed Food	Salmonella	ISO 6579-1:2017	Present/Absent in 25gm/ ml
20.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Canned & Processed Food	Shigella	ISO 21567:2004	Present/Absent in 25gm/ ml
21.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Canned & Processed Food	Coliform (Enumeration)	ISO 4832:2006	≥ 1cfu/ml OR ≥10cfu/gm
22.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Canned & Processed Food	E.Coli (Detection)	ISO 7251:2005	Present/Absent in gm/ ml
23.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Canned & Processed Food	S.aureus(Enumeration)	ISO 6888-1:2021	≥ 1cfu/ml OR ≥10cfu/gm
24.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Canned & Processed Food	S.aureus (Detection)	ISO 6888-3:2003	Present/Absent in gm/ ml
25.	BIOLOGICAL/	Canned & Processed	Total Bacterial Count/	ISO 4833-1:2013	≥ 1cfu/ml OR



**National Accreditation Board for
Testing and Calibration Laboratories
&
Export Inspection Council
(Ministry of Commerce & Industry, Govt. of
India)**



SCOPE OF ACCREDITATION

Laboratory Name Accurate Universal Laboratories Private Limited, D-171 to 174, 263 to 266, Siddhi Industrial Park, Kazipur Dariyapur, Bardolpura, Ahmedabad, Gujarat

Accreditation Standard ISO/IEC 17025: 2017

Certificate No. TC-5021 (Integrated)

Page No. 4 of 49

Validity 18.04.2025 to 26.03.2027

Last Amended on -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests Performed	Test Method Specification against which tests are performed and / or the techniques / equipment used	Range of Testing / Limits of Detection
	FOOD AND AGRICULTURAL PRODUCTS	Food	Total Plate Count/ Aerobic Plate Count/ Aerobic Colony Count		≥10cfu/gm
26.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Canned & Processed Food	Yeast and Mould Count	ISO 21527-2:2008	≥ 1cfu/ml OR ≥10cfu/gm
27.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Food Grains, Cereal, Pulses & Cereal Products	Listeria monocytogenes	ISO 11290-1:2017	Present/Absent in 25gm/ ml
28.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Food Grains, Cereal, Pulses & Cereal Products	Total Bacterial Count/ Total Plate Count/ Aerobic Plate Count/ Aerobic Colony Count	ISO 4833-1:2013	≥ 1cfu/ml OR ≥10cfu/gm
29.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Food Grains, Cereal, Pulses & Cereal Products	Coliform (Enumeration)	ISO 4832:2006	≥ 1cfu/ml OR ≥10cfu/gm
30.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Food Grains, Cereal, Pulses & Cereal Products	E.coli (Detection)	ISO 7251:2005	Present/Absent in gm/ ml
31.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Food Grains, Cereal, Pulses & Cereal Products	E.coli (Enumeration)	ISO 16649-2:2001	≥ 1cfu/ml OR ≥10cfu/gm
32.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Food Grains, Cereal, Pulses & Cereal Products	Enterobacteriaceae (Enumeration)	ISO 21528-2:2017	≥ 1cfu/ml OR ≥10cfu/gm
33.	BIOLOGICAL/ FOOD AND	Food Grains, Cereal, Pulses & Cereal	Enterobacteriaceae (Detection)	ISO 21528-1:2017	Present/Absent in gm/ ml



**National Accreditation Board for
Testing and Calibration Laboratories
&
Export Inspection Council
(Ministry of Commerce & Industry, Govt. of
India)**



SCOPE OF ACCREDITATION

Laboratory Name Accurate Universal Laboratories Private Limited, D-171 to 174, 263 to 266, Siddhi Industrial Park, Kazipur Dariyapur, Bardolpura, Ahmedabad, Gujarat

Accreditation Standard ISO/IEC 17025: 2017

Certificate No. TC-5021 (Integrated)

Page No. 5 of 49

Validity 18.04.2025 to 26.03.2027

Last Amended on -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests Performed	Test Method Specification against which tests are performed and / or the techniques / equipment used	Range of Testing / Limits of Detection
	AGRICULTURAL PRODUCTS	Products			
34.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Food Grains, Cereal, Pulses & Cereal Products	E. Coli (Detection)	IS 5887 (Part-1):1976	Present/Absent in gm/ ml
35.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Food Grains, Cereal, Pulses & Cereal Products	S.aureus(Enumeration)	ISO 6888-1:2021	≥ 1cfu/ml OR ≥10cfu/gm
36.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Food Grains, Cereal, Pulses & Cereal Products	S.aureus(Isolation)	ISO 6888-3:2003	Present/Absent in gm/ ml
37.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Food Grains, Cereal, Pulses & Cereal Products	Salmonella	ISO 6579-1:2017	Present/Absent in 25gm/ ml
38.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Food Grains, Cereal, Pulses & Cereal Products	Virbio Parahaemolytics	ISO 21872-1:2017	Present/Absent in 25gm/ ml
39.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Food Grains, Cereal, Pulses & Cereal Products	Yeast and Mould Count	ISO 21527-2:2008	≥ 1cfu/ml OR ≥10cfu/gm
40.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Edible Oils & Fats including Fat Spread, Margarine	Shigella	ISO 21567:2004	Present/Absent in 25gm/ ml
41.	BIOLOGICAL/ FOOD AND AGRICULTURAL	Edible Oils & Fats including Fat Spread, Margarine	Coliform (Enumeration)	ISO 4832:2006	≥ 1cfu/ml OR ≥10cfu/gm



**National Accreditation Board for
Testing and Calibration Laboratories
&
Export Inspection Council
(Ministry of Commerce & Industry, Govt. of
India)**



SCOPE OF ACCREDITATION

Laboratory Name Accurate Universal Laboratories Private Limited, D-171 to 174, 263 to 266, Siddhi Industrial Park, Kazipur Dariyapur, Bardolpura, Ahmedabad, Gujarat

Accreditation Standard ISO/IEC 17025: 2017

Certificate No. TC-5021 (Integrated)

Page No. 6 of 49

Validity 18.04.2025 to 26.03.2027

Last Amended on -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests Performed	Test Method Specification against which tests are performed and / or the techniques / equipment used	Range of Testing / Limits of Detection
	PRODUCTS				
42.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Edible Oils & Fats including Fat Spread, Margarine	E-Coli (Detection)	ISO 7251:2005	Present/Absent in gm/ ml
43.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Edible Oils & Fats including Fat Spread, Margarine	E.coli (Enumeration)	ISO 16649 (Part-2):2001	≥ 1cfu/ml OR ≥10cfu/gm
44.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Edible Oils & Fats including Fat Spread, Margarine	S.aureus(Enumeration)	ISO 6888-1:2021	≥ 1cfu/ml OR ≥10cfu/gm
45.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Edible Oils & Fats including Fat Spread, Margarine	S.aureus (Detection)	ISO 6888-3:2003	Present/Absent in gm/ ml
46.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Edible Oils & Fats including Fat Spread, Margarine	Salmonella	ISO 6579-1:2017	Present/Absent in 25gm/ ml
47.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Edible Oils & Fats including Fat Spread, Margarine	Salmonella	ISO 6579-1:2017	Present/Absent in 25gm/ ml
48.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Edible Oils & Fats including Fat Spread, Margarine	Yeast and Mould Count	ISO 21527-2:2008	≥ 1cfu/ml OR ≥10cfu/gm
49.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Fruit & Fruit Products	Listeria monocytogenes	ISO 11290-1:2017	Present/Absent in 25gm/ ml



**National Accreditation Board for
Testing and Calibration Laboratories
&
Export Inspection Council
(Ministry of Commerce & Industry, Govt. of
India)**



SCOPE OF ACCREDITATION

Laboratory Name **Accurate Universal Laboratories Private Limited, D-171 to 174, 263 to 266, Siddhi Industrial Park, Kazipur Dariyapur, Bardolpura, Ahmedabad, Gujarat**

Accreditation Standard **ISO/IEC 17025: 2017**

Certificate No. **TC-5021 (Integrated)**

Page No. **7 of 49**

Validity **18.04.2025 to 26.03.2027**

Last Amended on **-**

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests Performed	Test Method Specification against which tests are performed and / or the techniques / equipment used	Range of Testing / Limits of Detection
50.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Fruit & Fruit Products	Vibrio Cholerae	ISO 21872-1:2017	Present/Absent in 25gm/ ml
51.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Fruit & Fruit Products	Shigella	ISO 21567:2004	Present/Absent in 25gm/ ml
52.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Fruit & Fruit Products	Clostridium perfringens (Enumeration)/Total anaerobic bacterial count	ISO 15213-2:2023	≥ 1cfu/ml OR ≥10cfu/gm
53.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Fruit & Fruit Products	Sulfite- reducing clostridium (Enumeration)	ISO 15213-1:2023	≥ 1cfu/ml OR ≥10cfu/gm
54.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Fruit & Fruit Products	Coliform (Enumeration)	ISO 4832:2006	≥ 1cfu/ml OR ≥10cfu/gm
55.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Fruit & Fruit Products	E-Coli (Detection)	ISO 7251:2005	Present/Absent in gm/ ml
56.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Fruit & Fruit Products	E.coli o157	ISO 16654:2001	Present/Absent in 25gm/ ml
57.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Fruit & Fruit Products	E.coli (Enumeration)	ISO 16649-2:2001	≥ 1cfu/ml OR ≥10cfu/gm
58.	BIOLOGICAL/	Fruit & Fruit Products	Enterobacteriaceae	ISO 21528-2:2017	≥ 1cfu/ml OR



**National Accreditation Board for
Testing and Calibration Laboratories
&
Export Inspection Council**
(Ministry of Commerce & Industry, Govt. of
India)



SCOPE OF ACCREDITATION

Laboratory Name Accurate Universal Laboratories Private Limited, D-171 to 174, 263 to 266, Siddhi Industrial Park, Kazipur Dariyapur, Bardolpura, Ahmedabad, Gujarat

Accreditation Standard ISO/IEC 17025: 2017

Certificate No. TC-5021 (Integrated)

Page No. 8 of 49

Validity 18.04.2025 to 26.03.2027

Last Amended on -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests Performed	Test Method Specification against which tests are performed and / or the techniques / equipment used	Range of Testing / Limits of Detection
	FOOD AND AGRICULTURAL PRODUCTS		(Enumeration)		≥10cfu/gm
59.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Fruit & Fruit Products	Enterobacteriaceae (Detection)	ISO 21528-1:2017	Present/Absent in gm/ ml
60.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Fruit & Fruit Products	S.aureus(Enumeration)	ISO 6888-1:2021	≥ 1cfu/ml OR ≥10cfu/gm
61.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Fruit & Fruit Products	S.aureus	ISO 6888-3:2003	Present/Absent in gm/ ml
62.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Fruit & Fruit Products	Salmonella	ISO 6579-1:2017	Present/Absent in 25gm/ ml
63.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Fruit & Fruit Products	Total Bacterial Count/ Total Plate Count/ Aerobic Plate Count/ Aerobic Colony Count	ISO 4833-1:2013	≥ 1cfu/ml OR ≥10cfu/gm
64.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Fruit & Fruit Products	Yeast and Mould Count	ISO 21527-2:2008	≥ 1cfu/ml OR ≥10cfu/gm
65.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Herbs, Spices & Condiments	sulfite- reducing clostridium (Enumeration)	ISO 15213-1:2023	≥ 1cfu/ml OR ≥10cfu/gm
66.	BIOLOGICAL/ FOOD AND	Herbs, Spices & Condiments	Clostridium perfringens(Enumeration)	ISO 15213-2:2023	≥ 1cfu/ml OR ≥10cfu/gm



**National Accreditation Board for
Testing and Calibration Laboratories
&
Export Inspection Council
(Ministry of Commerce & Industry, Govt. of
India)**



SCOPE OF ACCREDITATION

Laboratory Name **Accurate Universal Laboratories Private Limited, D-171 to 174, 263 to 266, Siddhi Industrial Park, Kazipur Dariyapur, Bardolpura, Ahmedabad, Gujarat**

Accreditation Standard **ISO/IEC 17025: 2017**

Certificate No. **TC-5021 (Integrated)**

Page No. **9 of 49**

Validity **18.04.2025 to 26.03.2027**

Last Amended on **-**

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests Performed	Test Method Specification against which tests are performed and / or the techniques / equipment used	Range of Testing / Limits of Detection
	AGRICULTURAL PRODUCTS		)/Total anaerobic bacterial count		
67.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Herbs, Spices & Condiments	Total Bacterial Count/ Total Plate Count/ Aerobic Plate Count/ Aerobic Colony Count	ISO 4833-1:2013	≥ 1cfu/ml OR ≥10cfu/gm
68.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Herbs, Spices & Condiments	Shigella	ISO 21567:2004	Present/Absent in 25gm/ ml
69.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Herbs, Spices & Condiments	Bacillus cereus	ISO 7932:2020	≥ 1cfu/ml OR ≥10cfu/gm
70.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Herbs, Spices & Condiments	Coliform (Enumeration)	ISO 4832:2006	≥ 1cfu/ml OR ≥10cfu/gm
71.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Herbs, Spices & Condiments	E.Coli (Detection)	ISO 7251:2005	Present/Absent in gm/ ml
72.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Herbs, Spices & Condiments	E.coli (Enumeration)	ISO 16649-2:2001	≥ 1cfu/ml OR ≥10cfu/gm
73.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Herbs, Spices & Condiments	Enterobacteriaceae (Enumeration)	ISO 21528-2:2017	≥ 1cfu/ml OR ≥10cfu/gm
74.	BIOLOGICAL/ FOOD AND AGRICULTURAL	Herbs, Spices & Condiments	Enterobacteriaceae (Detection)	ISO 21528-1:2017	Present/Absent in gm/ ml



**National Accreditation Board for
Testing and Calibration Laboratories
&
Export Inspection Council
(Ministry of Commerce & Industry, Govt. of
India)**



SCOPE OF ACCREDITATION

Laboratory Name Accurate Universal Laboratories Private Limited, D-171 to 174, 263 to 266, Siddhi Industrial Park, Kazipur Dariyapur, Bardolpura, Ahmedabad, Gujarat

Accreditation Standard ISO/IEC 17025: 2017

Certificate No. TC-5021 (Integrated)

Page No. 10 of 49

Validity 18.04.2025 to 26.03.2027

Last Amended on -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests Performed	Test Method Specification against which tests are performed and / or the techniques / equipment used	Range of Testing / Limits of Detection
	PRODUCTS				
75.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Herbs, Spices & Condiments	S.aureus(Enumeration)	ISO 6888-1:2021	≥ 1cfu/ml OR ≥10cfu/gm
76.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Herbs, Spices & Condiments	S.aureus (Detection)	ISO 6888-3:2003	Present/Absent in gm/ ml
77.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Herbs, Spices & Condiments	Salmonella	ISO 6579-1:2017	Present/Absent in 25gm/ ml
78.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Herbs, Spices & Condiments	Yeast and Mould Count	ISO 21527-2:2008	≥ 1cfu/ml OR ≥10cfu/gm
79.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Supplementary Foods and Infant Foods	Shigella	ISO 21567:2004	Present/Absent in 25gm/ ml
80.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Supplementary Foods and Infant Foods	E.coli (Enumeration)	ISO 16649-2:2001	≥ 1cfu/ml OR ≥10cfu/gm
81.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Supplementary Foods and Infant Foods	Enterobacter sakazaki	ISO 22964:2017	Not Applicable
82.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Supplementary Foods and Infant Foods	sulfite- reducing clostridium (Enumeration)	ISO 15213-1:2023	≥ 1cfu/ml OR ≥10cfu/gm



**National Accreditation Board for
Testing and Calibration Laboratories
&
Export Inspection Council
(Ministry of Commerce & Industry, Govt. of
India)**



SCOPE OF ACCREDITATION

Laboratory Name **Accurate Universal Laboratories Private Limited, D-171 to 174, 263 to 266, Siddhi Industrial Park, Kazipur Dariyapur, Bardolpura, Ahmedabad, Gujarat**

Accreditation Standard **ISO/IEC 17025: 2017**

Certificate No. **TC-5021 (Integrated)**

Page No. **11 of 49**

Validity **18.04.2025 to 26.03.2027**

Last Amended on **-**

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests Performed	Test Method Specification against which tests are performed and / or the techniques / equipment used	Range of Testing / Limits of Detection
83.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Supplementary Foods and Infant Foods	Bacillus cereus	ISO 7932:2020	≥ 1cfu/ml OR ≥10cfu/gm
84.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Supplementary Foods and Infant Foods	Clostridium perfringens(Enumeration)/Total anaerobic bacterial count	ISO 15213-2:2023	≥ 1cfu/ml OR ≥10cfu/gm
85.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Supplementary Foods and Infant Foods	Coliform (Detection)	ISO 4832:2006	Present/Absent in gm/ ml
86.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Supplementary Foods and Infant Foods	E.Coli (Enumeration)	ISO 16649-2:2001	≥ 1cfu/ml OR ≥10cfu/gm
87.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Supplementary Foods and Infant Foods	E.Coli (Detection)	ISO 7251:2005	Present/Absent in gm/ ml
88.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Supplementary Foods and Infant Foods	Listeria monocytogenes	ISO 11290-1:2017	Present/Absent in 25gm/ ml
89.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Supplementary Foods and Infant Foods	S.aureus(Enumeration)	ISO 6888-1:2021	≥ 1cfu/ml OR ≥10cfu/gm
90.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Supplementary Foods and Infant Foods	S.aureus (Detection)	ISO 6888-3:2003	Present/Absent in gm/ ml
91.	BIOLOGICAL/	Supplementary	Salmonella	ISO 6579-1:2017	Present/Absent in



**National Accreditation Board for
Testing and Calibration Laboratories
&
Export Inspection Council
(Ministry of Commerce & Industry, Govt. of
India)**



SCOPE OF ACCREDITATION

Laboratory Name **Accurate Universal Laboratories Private Limited, D-171 to 174, 263 to 266, Siddhi Industrial Park, Kazipur Dariyapur, Bardolpura, Ahmedabad, Gujarat**

Accreditation Standard **ISO/IEC 17025: 2017**

Certificate No. **TC-5021 (Integrated)**

Page No. **12 of 49**

Validity **18.04.2025 to 26.03.2027**

Last Amended on **-**

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests Performed	Test Method Specification against which tests are performed and / or the techniques / equipment used	Range of Testing / Limits of Detection
	FOOD AND AGRICULTURAL PRODUCTS	Foods and Infant Foods			25gm/ ml
92.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Supplementary Foods and Infant Foods	Total Bacterial Count/ Total Plate Count/ Aerobic Plate Count/ Aerobic Colony Count	ISO 4833-1:2013	≥ 1cfu/ml OR ≥10cfu/gm
93.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Supplementary Foods and Infant Foods	Yeast and Mould Count	ISO 21527-2:2008	≥ 1cfu/ml OR ≥10cfu/gm
94.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Milk, Dairy Products and it's Analogues	Coliform (Enumeration)	ISO 4832:2006	≥ 1cfu/ml OR ≥10cfu/gm
95.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Milk, Dairy Products and it's Analogues	S.aureus (Detection)	ISO 6888-3:2003	Present/Absent in gm/ ml
96.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Milk, Dairy Products and it's Analogues	Shigella	ISO 21567:2004	Present/Absent in 25gm/ ml
97.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Milk, Dairy Products and it's Analogues	Bacillus cereus	ISO 7932:2020	≥ 1cfu/ml OR ≥10cfu/gm
98.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Milk, Dairy Products and it's Analogues	Sulfite- reducing clostridium (Enumeration)	ISO 15213-1:2023	≥ 1cfu/ml OR ≥10cfu/gm
99.	BIOLOGICAL/ FOOD AND	Milk, Dairy Products and it's Analogues	Clostridium perfringens(Enumeration)	ISO 15213-2:2023	≥ 1cfu/ml OR ≥10cfu/gm



**National Accreditation Board for
Testing and Calibration Laboratories
&
Export Inspection Council
(Ministry of Commerce & Industry, Govt. of
India)**



SCOPE OF ACCREDITATION

Laboratory Name **Accurate Universal Laboratories Private Limited, D-171 to 174, 263 to 266, Siddhi Industrial Park, Kazipur Dariyapur, Bardolpura, Ahmedabad, Gujarat**

Accreditation Standard **ISO/IEC 17025: 2017**

Certificate No. **TC-5021 (Integrated)**

Page No. **13 of 49**

Validity **18.04.2025 to 26.03.2027**

Last Amended on **-**

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests Performed	Test Method Specification against which tests are performed and / or the techniques / equipment used	Range of Testing / Limits of Detection
	AGRICULTURAL PRODUCTS		)/Total anaerobic bacterial count		
100.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Milk, Dairy Products and it's Analogues	E.Coli (Enumeration)	ISO 16649-2:2001	≥ 1cfu/ml OR ≥10cfu/gm
101.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Milk, Dairy Products and it's Analogues	E.Coli(Enumeration)	ISO 16649-2:2001	≥ 1cfu/ml OR ≥10cfu/gm
102.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Milk, Dairy Products and it's Analogues	E.Coli (Detection)	ISO 7251:2005	Present/Absent in gm/ ml
103.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Milk, Dairy Products and it's Analogues	Enterobacter sakazaki	ISO 22964:2017	Not Applicable
104.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Milk, Dairy Products and it's Analogues	E. Coli (Detection)	ISO7251:2005	Present/Absent in gm/ ml
105.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Milk, Dairy Products and it's Analogues	Listeria monocytogenes	ISO 11290-1:2017	Present/Absent in 25gm/ ml
106.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Milk, Dairy Products and it's Analogues	Listeria monocytogenes	IS 14988-1:2020	Present/Absent in 25gm/ ml
107.	BIOLOGICAL/ FOOD AND AGRICULTURAL	Milk, Dairy Products and it's Analogues	S.aureus (Enumeration)	ISO 6888-1:2021	≥ 1cfu/ml OR ≥10cfu/gm



**National Accreditation Board for
Testing and Calibration Laboratories
&
Export Inspection Council
(Ministry of Commerce & Industry, Govt. of
India)**



SCOPE OF ACCREDITATION

Laboratory Name **Accurate Universal Laboratories Private Limited, D-171 to 174, 263 to 266, Siddhi Industrial Park, Kazipur Dariyapur, Bardolpura, Ahmedabad, Gujarat**

Accreditation Standard **ISO/IEC 17025: 2017**

Certificate No. **TC-5021 (Integrated)**

Page No. **14 of 49**

Validity **18.04.2025 to 26.03.2027**

Last Amended on **-**

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests Performed	Test Method Specification against which tests are performed and / or the techniques / equipment used	Range of Testing / Limits of Detection
	PRODUCTS				
108.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Milk, Dairy Products and it's Analogues	Salmonella	ISO 6579-1:2017	Present/Absent in 25gm/ ml
109.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Milk, Dairy Products and it's Analogues	Salmonella	ISO 6579-1:2017	Present/Absent in 25gm/ ml
110.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Milk, Dairy Products and it's Analogues	Shigella	ISO 21567:2004	Present/Absent in 25gm/ ml
111.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Milk, Dairy Products and it's Analogues	S. aureus (Detection)	ISO 6888-3:2003	Present/Absent in gm/ ml
112.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Milk, Dairy Products and it's Analogues	S. aureus (Enumeration)	ISO 6888-1:2021	≥ 1cfu/ml OR ≥10cfu/gm
113.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Milk, Dairy Products and it's Analogues	Total Bacterial Count/ Total Plate Count/ Aerobic Plate Count/ Aerobic Colony Count	ISO 4833-1:2013	≥ 1cfu/ml OR ≥10cfu/gm
114.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Milk, Dairy Products and it's Analogues	Total Bacterial Count/ Total Plate Count/ Aerobic Plate Count/ Aerobic Colony Count	ISO 4833-1:2013	≥ 1cfu/ml OR ≥10cfu/gm
115.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Milk, Dairy Products and it's Analogues	Yeast and Mould Count	ISO 21527-2:2008	≥ 1cfu/ml OR ≥10cfu/gm



**National Accreditation Board for
Testing and Calibration Laboratories
&
Export Inspection Council
(Ministry of Commerce & Industry, Govt. of
India)**



SCOPE OF ACCREDITATION

Laboratory Name Accurate Universal Laboratories Private Limited, D-171 to 174, 263 to 266, Siddhi Industrial Park, Kazipur Dariyapur, Bardolpura, Ahmedabad, Gujarat

Accreditation Standard ISO/IEC 17025: 2017

Certificate No. TC-5021 (Integrated)

Page No. 15 of 49

Validity 18.04.2025 to 26.03.2027

Last Amended on -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests Performed	Test Method Specification against which tests are performed and / or the techniques / equipment used	Range of Testing / Limits of Detection
116.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Milk, Dairy Products and it's Analogues	Yeast and Mould Count	IS 5403:1999	$\geq 1\text{cfu/ml}$ OR $\geq 10\text{cfu/gm}$
117.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Nuts, Raisin & It's products	Shigella	ISO 21567:2004	Present/Absent in 25gm/ ml
118.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Nuts, Raisin & It's products	Coliform (Enumeration)	ISO 4832:2006	$\geq 1\text{cfu/ml}$ OR $\geq 10\text{cfu/gm}$
119.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Nuts, Raisin & It's products	E.Coli (Detection)	ISO 7251:2005	Present/Absent in gm/ ml
120.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Nuts, Raisin & It's products	Enterobacteriaceae (Enumeration)	ISO 21528-2:2017	$\geq 1\text{cfu/ml}$ OR $\geq 10\text{cfu/gm}$
121.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Nuts, Raisin & It's products	Enterobacteriaceae (Detection)	ISO 21528-1:2017	Present/Absent in gm/ ml
122.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Nuts, Raisin & It's products	S.aureus (Enumeration)	ISO 6888-1:2021	$\geq 1\text{cfu/ml}$ OR $\geq 10\text{cfu/gm}$
123.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Nuts, Raisin & It's products	S.aureus	ISO 6888-3:2003	Present/Absent in gm/ ml
124.	BIOLOGICAL/	Nuts, Raisin & It's	Shigella	ISO 21567:2004	Present/Absent in



**National Accreditation Board for
Testing and Calibration Laboratories
&
Export Inspection Council
(Ministry of Commerce & Industry, Govt. of
India)**



SCOPE OF ACCREDITATION

Laboratory Name **Accurate Universal Laboratories Private Limited, D-171 to 174, 263 to 266, Siddhi Industrial Park, Kazipur Dariyapur, Bardolpura, Ahmedabad, Gujarat**

Accreditation Standard **ISO/IEC 17025: 2017**

Certificate No. **TC-5021 (Integrated)**

Page No. **16 of 49**

Validity **18.04.2025 to 26.03.2027**

Last Amended on **-**

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests Performed	Test Method Specification against which tests are performed and / or the techniques / equipment used	Range of Testing / Limits of Detection
	FOOD AND AGRICULTURAL PRODUCTS	products			25gm/ ml
125.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Nuts, Raisin & It's products	Shigella	ISO 21567:2004	Present/Absent in 25gm/ ml
126.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Nuts, Raisin & It's products	Total Bacterial Count/ Total Plate Count/ Aerobic Plate Count/ Aerobic Colony Count	ISO 4833(Part-1):2013	≥ 1cfu/ml OR ≥10cfu/gm
127.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Nuts, Raisin & It's products	Total Bacterial Count/ Total Plate Count/ Aerobic Plate Count/Aerobic Colony Count	ISO 4833(Part-1):2013	≥ 1cfu/ml OR ≥10cfu/gm
128.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Nuts, Raisin & It's products	Yeast and Mould Count	ISO 21527-2:2008	≥ 1cfu/ml OR ≥10cfu/gm
129.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Nuts, Raisin & It's products	Coliform (Enumeration)	IS 5401 (Part-2):2012	≥ 1cfu/ml OR ≥10cfu/gm
130.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Nuts, Raisin & It's products	Coliform (Detection)	IS 5401 (Part-2):1976	Present/Absent in gm/ ml
131.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Nuts, Raisin & It's products	E. Coli (Detection)	ISO7251:2005	Present/Absent in gm/ ml
132.	BIOLOGICAL/	Nuts, Raisin & It's	E.Coli (Enumeration)	ISO 16649-2:2001	≥ 1cfu/ml OR



**National Accreditation Board for
Testing and Calibration Laboratories
&
Export Inspection Council
(Ministry of Commerce & Industry, Govt. of
India)**



SCOPE OF ACCREDITATION

Laboratory Name Accurate Universal Laboratories Private Limited, D-171 to 174, 263 to 266, Siddhi Industrial Park, Kazipur Dariyapur, Bardolpura, Ahmedabad, Gujarat

Accreditation Standard ISO/IEC 17025: 2017

Certificate No. TC-5021 (Integrated)

Page No. 17 of 49

Validity 18.04.2025 to 26.03.2027

Last Amended on -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests Performed	Test Method Specification against which tests are performed and / or the techniques / equipment used	Range of Testing / Limits of Detection
	FOOD AND AGRICULTURAL PRODUCTS	products			≥10cfu/gm
133.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Nuts, Raisin & It's products	Salmonella	ISO 6579-1:2017	Present/Absent in 25gm/ ml
134.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Nuts, Raisin & It's products	Salmonella	ISO 6579-1:2017	Present/Absent in 25gm/ ml
135.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Nuts, Raisin & It's products	S. aureus (Enumeration)	ISO 6888-1:2021	≥ 1cfu/ml OR ≥10cfu/gm
136.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Nuts, Raisin & It's products	S. Aureus (Detection)	ISO 6888-3:2003	Present/Absent in gm/ ml
137.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Nuts, Raisin & It's products	Yeast and Mould Count	IS 5403:1999	≥ 1cfu/ml OR ≥10cfu/gm
138.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Oil Seeds & By-Products	Shigella	ISO 21567:2004	Present/Absent in 25gm/ ml
139.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Oil Seeds & By-Products	Coliform (Enumeration)	ISO 4832:2006	≥ 1cfu/ml OR ≥10cfu/gm
140.	BIOLOGICAL/ FOOD AND	Oil Seeds & By-Products	Coliform (Detection)	IS 5401 (Part-2):2012	Present/Absent in gm/ ml



**National Accreditation Board for
Testing and Calibration Laboratories
&
Export Inspection Council
(Ministry of Commerce & Industry, Govt. of
India)**



SCOPE OF ACCREDITATION

Laboratory Name Accurate Universal Laboratories Private Limited, D-171 to 174, 263 to 266, Siddhi Industrial Park, Kazipur Dariyapur, Bardolpura, Ahmedabad, Gujarat

Accreditation Standard ISO/IEC 17025: 2017

Certificate No. TC-5021 (Integrated)

Page No. 18 of 49

Validity 18.04.2025 to 26.03.2027

Last Amended on -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests Performed	Test Method Specification against which tests are performed and / or the techniques / equipment used	Range of Testing / Limits of Detection
	AGRICULTURAL PRODUCTS				
141.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Oil Seeds & By-Products	Coliform (Detection)	IS 5401 (Part-2):2012	Present/Absent in gm/ ml
142.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Oil Seeds & By-Products	E.coli (Detection)	ISO 7251:2005	Present/Absent in gm/ ml
143.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Oil Seeds & By-Products	E.coli (Enumeration)	ISO 16649-2:2001	≥ 1cfu/ml OR ≥10cfu/gm
144.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Oil Seeds & By-Products	Enterobacteriaceae (Enumeration)	ISO 21528-2:2017	≥ 1cfu/ml OR ≥10cfu/gm
145.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Oil Seeds & By-Products	Enterobacteriaceae (Detection)	ISO 21528 -1:2017	Present/Absent in gm/ ml
146.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Oil Seeds & By-Products	E. Coli (Detection)	ISO7251:2005	Present/Absent in gm/ ml
147.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Oil Seeds & By-Products	S.aureus (Enumeration)	ISO 6888-1:2021	≥ 1cfu/ml OR ≥10cfu/gm
148.	BIOLOGICAL/ FOOD AND AGRICULTURAL	Oil Seeds & By-Products	S.aureus (Detection)	ISO 6888-3:2003	Present/Absent in gm/ ml



**National Accreditation Board for
Testing and Calibration Laboratories
&
Export Inspection Council
(Ministry of Commerce & Industry, Govt. of
India)**



SCOPE OF ACCREDITATION

Laboratory Name **Accurate Universal Laboratories Private Limited, D-171 to 174, 263 to 266, Siddhi Industrial Park, Kazipur Dariyapur, Bardolpura, Ahmedabad, Gujarat**

Accreditation Standard **ISO/IEC 17025: 2017**

Certificate No. **TC-5021 (Integrated)**

Page No. **19 of 49**

Validity **18.04.2025 to 26.03.2027**

Last Amended on **-**

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests Performed	Test Method Specification against which tests are performed and / or the techniques / equipment used	Range of Testing / Limits of Detection
	PRODUCTS				
149.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Oil Seeds & By-Products	Salmonella	ISO 6579-1:2017	Present/Absent in 25gm/ ml
150.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Oil Seeds & By-Products	Total Bacterial Count/ Total Plate Count/ Aerobic Plate Count/ Aerobic Colony Count	ISO 4833-1:2013	≥ 1cfu/ml OR ≥10cfu/gm
151.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Oil Seeds & By-Products	Yeast and Mould Count	ISO 21527-2:2008	≥ 1cfu/ml OR ≥10cfu/gm
152.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Proprietary Food, Ready to Cook Food, Snacks, Cooked Food and Frozen Foods	E.coli(Enumeration)	ISO 16649-2:2001	≥ 1cfu/ml OR ≥10cfu/gm
153.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Proprietary Food, Ready to Cook Food, Snacks, Cooked Food and Frozen Foods	Listeria monocytogenes	ISO 11290-1:2020	Present/Absent in 25gm/ ml
154.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Proprietary Food, Ready to Cook Food, Snacks, Cooked Food and Frozen Foods	Salmonella	ISO 6579-1:2017	Present/Absent in 25gm/ ml
155.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Proprietary Food, Ready to Cook Food, Snacks, Cooked Food and Frozen Foods	Vibrio Cholerae	ISO 21872-1:2017	Present/Absent in 25gm/ ml



**National Accreditation Board for
Testing and Calibration Laboratories
&
Export Inspection Council
(Ministry of Commerce & Industry, Govt. of
India)**



SCOPE OF ACCREDITATION

Laboratory Name Accurate Universal Laboratories Private Limited, D-171 to 174, 263 to 266, Siddhi Industrial Park, Kazipur Dariyapur, Bardolpura, Ahmedabad, Gujarat

Accreditation Standard ISO/IEC 17025: 2017

Certificate No. TC-5021 (Integrated)

Page No. 20 of 49

Validity 18.04.2025 to 26.03.2027

Last Amended on -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests Performed	Test Method Specification against which tests are performed and / or the techniques / equipment used	Range of Testing / Limits of Detection
156.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Proprietary Food, Ready to Cook Food, Snacks, Cooked Food and Frozen Foods	Total Bacterial Count/ Total Plate Count/ Aerobic Plate Count/ Aerobic Colony Count	ISO 4833-1:2013	≥ 1cfu/ml OR ≥10cfu/gm
157.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Proprietary Food, Ready to Cook Food, Snacks, Cooked Food and Frozen Foods	Yeast and Mould Count	ISO 21527-2:2008	≥ 1cfu/ml OR ≥10cfu/gm
158.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Proprietary Food, Ready to Cook Food, Snacks, Cooked Food and Frozen Foods	Shigella	ISO 21567:2004	Present/Absent in 25gm/ ml
159.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Proprietary Food, Ready to Cook Food, Snacks, Cooked Food and Frozen Foods	Bacillus cereus	ISO 7932:2020	≥ 1cfu/ml OR ≥10cfu/gm
160.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Proprietary Food, Ready to Cook Food, Snacks, Cooked Food and Frozen Foods	Coliform (Enumeration)	ISO 4832:2006	≥ 1cfu/ml OR ≥10cfu/gm
161.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Proprietary Food, Ready to Cook Food, Snacks, Cooked Food and Frozen Foods	E.Coli (Detection)	ISO 7251:2005	Present/Absent in gm/ ml
162.	BIOLOGICAL/ FOOD AND AGRICULTURAL	Proprietary Food, Ready to Cook Food, Snacks, Cooked	E.Coli(Enumeration)	ISO 16649-2:2001	≥ 1cfu/ml OR ≥10cfu/gm



**National Accreditation Board for
Testing and Calibration Laboratories
&
Export Inspection Council
(Ministry of Commerce & Industry, Govt. of
India)**



SCOPE OF ACCREDITATION

Laboratory Name Accurate Universal Laboratories Private Limited, D-171 to 174, 263 to 266, Siddhi Industrial Park, Kazipur Dariyapur, Bardolpura, Ahmedabad, Gujarat

Accreditation Standard ISO/IEC 17025: 2017

Certificate No. TC-5021 (Integrated)

Page No. 21 of 49

Validity 18.04.2025 to 26.03.2027

Last Amended on -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests Performed	Test Method Specification against which tests are performed and / or the techniques / equipment used	Range of Testing / Limits of Detection
	PRODUCTS	Food and Frozen Foods			
163.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Proprietary Food, Ready to Cook Food, Snacks, Cooked Food and Frozen Foods	Enterobacteriaceae (Enumeration)	ISO 21528-2:2017	$\geq 1\text{cfu/ml}$ OR $\geq 10\text{cfu/gm}$
164.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Proprietary Food, Ready to Cook Food, Snacks, Cooked Food and Frozen Foods	Enterobacteriaceae (Detection)	ISO 21528-1:2017	Present/Absent in gm/ ml
165.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Proprietary Food, Ready to Cook Food, Snacks, Cooked Food and Frozen Foods	S.aureus(Enumeration)	ISO 6888-1:2021	$\geq 1\text{cfu/ml}$ OR $\geq 10\text{cfu/gm}$
166.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Proprietary Food, Ready to Cook Food, Snacks, Cooked Food and Frozen Foods	S.aureus (Detection)	ISO 6888-3:2003	Present/Absent in gm/ ml
167.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Starch & Starch products	Shigella	ISO 21567:2017	Present/Absent in 25gm/ ml
168.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Starch & Starch products	Coliform (Enumeration)	ISO 4832:2006	$\geq 1\text{cfu/ml}$ OR $\geq 10\text{cfu/gm}$
169.	BIOLOGICAL/ FOOD AND AGRICULTURAL	Starch & Starch products	E-Coli(Isolation)	ISO 7251:2005	Present/Absent in gm/ ml



**National Accreditation Board for
Testing and Calibration Laboratories
&
Export Inspection Council
(Ministry of Commerce & Industry, Govt. of
India)**



SCOPE OF ACCREDITATION

Laboratory Name Accurate Universal Laboratories Private Limited, D-171 to 174, 263 to 266, Siddhi Industrial Park, Kazipur Dariyapur, Bardolpura, Ahmedabad, Gujarat

Accreditation Standard ISO/IEC 17025: 2017

Certificate No. TC-5021 (Integrated)

Page No. 22 of 49

Validity 18.04.2025 to 26.03.2027

Last Amended on -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests Performed	Test Method Specification against which tests are performed and / or the techniques / equipment used	Range of Testing / Limits of Detection
	PRODUCTS				
170.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Starch & Starch products	E.Coli (Enumeration)	ISO 16649-2:2001	≥ 1cfu/ml OR ≥10cfu/gm
171.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Starch & Starch products	S.aureus(Enumeration)	ISO 6888-1:2021	≥ 1cfu/ml OR ≥10cfu/gm
172.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Starch & Starch products	S.aureus	ISO 6888-3:2003	Present/Absent in gm/ ml
173.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Starch & Starch products	Salmonella	ISO 6579-1:2017	Present/Absent in 25gm/ ml
174.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Starch & Starch products	Total Bacterial Count/ Total Plate Count/ Aerobic Plate Count/ Aerobic Colony Count	ISO 4833-1:2013	≥ 1cfu/ml OR ≥10cfu/gm
175.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Starch & Starch products	Yeast and Mould Count	ISO 21527-2:2008	≥ 1cfu/ml OR ≥10cfu/gm
176.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Tea, Coffee & their products	Shigella	ISO 21567:2004	Present/Absent in 25gm/ ml
177.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Tea, Coffee & their products	Bacillus cereus	ISO 7932:2020	≥ 1cfu/ml OR ≥10cfu/gm



**National Accreditation Board for
Testing and Calibration Laboratories
&
Export Inspection Council
(Ministry of Commerce & Industry, Govt. of
India)**



SCOPE OF ACCREDITATION

Laboratory Name **Accurate Universal Laboratories Private Limited, D-171 to 174, 263 to 266, Siddhi Industrial Park, Kazipur Dariyapur, Bardolpura, Ahmedabad, Gujarat**

Accreditation Standard **ISO/IEC 17025: 2017**

Certificate No. **TC-5021 (Integrated)**

Page No. **23 of 49**

Validity **18.04.2025 to 26.03.2027**

Last Amended on **-**

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests Performed	Test Method Specification against which tests are performed and / or the techniques / equipment used	Range of Testing / Limits of Detection
178.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Tea, Coffee & their products	Coliform (Enumeration)	ISO 4832:2006	≥ 1cfu/ml OR ≥10cfu/gm
179.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Tea, Coffee & their products	E.coli (Detection)	ISO 7251:2005	Present/Absent in gm/ ml
180.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Tea, Coffee & their products	S.aureus(Enumeration)	ISO 6888-1:2021	≥ 1cfu/ml OR ≥10cfu/gm
181.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Tea, Coffee & their products	S.aureus (Detection)	ISO 6888-3:2003	Present/Absent in gm/ ml
182.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Tea, Coffee & their products	Total Bacterial Count/ Total Plate Count/ Aerobic Plate Count/ Aerobic Colony Count	ISO 4833-1:2013	≥ 1cfu/ml OR ≥10cfu/gm
183.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Tea, Coffee & their products	Yeast and Mould Count	ISO 21527-2:2008	≥ 1cfu/ml OR ≥10cfu/gm
184.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Tea, Coffee & their products	E.coli (Enumeration)	ISO 16649-2:2001	≥ 1cfu/ml OR ≥10cfu/gm
185.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Tea, Coffee & their products	Salmonella	ISO 6579-1:2017	Present/Absent in 25gm/ ml
186.	BIOLOGICAL/	Vegetable &	Listeria monocytogenes	ISO 11290-1:2020	Present/Absent in



**National Accreditation Board for
Testing and Calibration Laboratories
&
Export Inspection Council
(Ministry of Commerce & Industry, Govt. of
India)**



SCOPE OF ACCREDITATION

Laboratory Name **Accurate Universal Laboratories Private Limited, D-171 to 174, 263 to 266, Siddhi Industrial Park, Kazipur Dariyapur, Bardolpura, Ahmedabad, Gujarat**

Accreditation Standard **ISO/IEC 17025: 2017**

Certificate No. **TC-5021 (Integrated)**

Page No. **24 of 49**

Validity **18.04.2025 to 26.03.2027**

Last Amended on **-**

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests Performed	Test Method Specification against which tests are performed and / or the techniques / equipment used	Range of Testing / Limits of Detection
	FOOD AND AGRICULTURAL PRODUCTS	Vegetable Products			25gm/ ml
187.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Vegetable & Vegetable Products	Shigella	ISO 21567:2004	Present/Absent in 25gm/ ml
188.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Vegetable & Vegetable Products	Total Bacterial Count/ Total Plate Count/ Aerobic Plate Count/ Aerobic Colony Count	ISO 4833-1:2013	≥ 1cfu/ml OR ≥10cfu/gm
189.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Vegetable & Vegetable Products	Yeast and Mould Count	ISO 21527-2:2008	≥ 1cfu/ml OR ≥10cfu/gm
190.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Vegetable & Vegetable Products	sulfite- reducing clostridium (Enumeration)	ISO 15213-1:2023	≥ 1cfu/ml OR ≥10cfu/gm
191.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Vegetable & Vegetable Products	E.coli (Detection)	ISO 7251:2005	Present/Absent in gm/ ml
192.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Vegetable & Vegetable Products	E.coli(Enumeration)	ISO 16649-2:2001	≥ 1cfu/ml OR ≥10cfu/gm
193.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Vegetable & Vegetable Products	E.coli o157	ISO 16654:2001	Present/Absent in 25gm/ ml
194.	BIOLOGICAL/ FOOD AND	Vegetable & Vegetable Products	Enterobacteriaceae (Enumeration)	ISO 21528-2:2017	≥ 1cfu/ml OR ≥10cfu/gm



**National Accreditation Board for
Testing and Calibration Laboratories
&
Export Inspection Council
(Ministry of Commerce & Industry, Govt. of
India)**



SCOPE OF ACCREDITATION

Laboratory Name **Accurate Universal Laboratories Private Limited, D-171 to 174, 263 to 266, Siddhi Industrial Park, Kazipur Dariyapur, Bardolpura, Ahmedabad, Gujarat**

Accreditation Standard **ISO/IEC 17025: 2017**

Certificate No. **TC-5021 (Integrated)**

Page No. **25 of 49**

Validity **18.04.2025 to 26.03.2027**

Last Amended on **-**

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests Performed	Test Method Specification against which tests are performed and / or the techniques / equipment used	Range of Testing / Limits of Detection
	AGRICULTURAL PRODUCTS				
195.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Vegetable & Vegetable Products	Enterobacteriaceae (Detection)	ISO 21528-1:2017	Present/Absent in gm/ ml
196.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Vegetable & Vegetable products	Listeria monocytogenes	ISO 11290-1:2017	Present/Absent in 25gm/ ml
197.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Vegetable & Vegetable products	Listeria monocytogenes	IS 14988-1:2020	Present/Absent in 25gm/ ml
198.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Vegetable & Vegetable Products	S.aureus(Enumeration)	ISO 6888-1:2021	≥ 1cfu/ml OR ≥10cfu/gm
199.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Vegetable & Vegetable Products	S.aureus (Detection)	ISO 6888-3:2003	Present/Absent in gm/ ml
200.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Vegetable & Vegetable products	Salmonella	ISO 6579-1:2017	Present/Absent in 25gm/ ml
201.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Vegetable & Vegetable Products	Vibrio Cholerae	ISO 21872-1:2017	Present/Absent in 25gm/ ml
202.	BIOLOGICAL/ FOOD AND AGRICULTURAL	Vegetable & Vegetable Products	Clostridium perfringens (Enumeration)/ Total anaerobic bacterial count	ISO 15213-2:2023	≥ 1cfu/ml OR ≥10cfu/gm



**National Accreditation Board for
Testing and Calibration Laboratories
&
Export Inspection Council
(Ministry of Commerce & Industry, Govt. of
India)**



SCOPE OF ACCREDITATION

Laboratory Name Accurate Universal Laboratories Private Limited, D-171 to 174, 263 to 266, Siddhi Industrial Park, Kazipur Dariyapur, Bardolpura, Ahmedabad, Gujarat

Accreditation Standard ISO/IEC 17025: 2017

Certificate No. TC-5021 (Integrated)

Page No. 26 of 49

Validity 18.04.2025 to 26.03.2027

Last Amended on -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests Performed	Test Method Specification against which tests are performed and / or the techniques / equipment used	Range of Testing / Limits of Detection
	PRODUCTS				
203.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Sweets, Confectionery and their products	E.Coli(Enumeration)	ISO 16649-2:2001	≥ 1cfu/ml OR ≥10cfu/gm
204.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Sweets, Confectionery and their products	Listeria monocytogenes	ISO 11290-1:2017	Present/Absent in 25gm/ ml
205.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Sweets, Confectionery and their products	Salmonella	ISO 6579-1:2017	Present/Absent in 25gm/ ml
206.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Sweets, Confectionery and their products	Vibrio Cholerae	ISO 21872-1:2017	Present/Absent in 25gm/ ml
207.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Sweets, Confectionery and their products	Total Bacterial Count/ Total Plate Count/ Aerobic Plate Count/ Aerobic Colony Count	ISO 4833-1:2013	≥ 1cfu/ml OR ≥10cfu/gm
208.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Sweets, Confectionery and their products	Yeast and Mould Count	ISO 21527-2:2008	≥ 1cfu/ml OR ≥10cfu/gm
209.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Sweets, Confectionery and their products	Shigella	ISO 21567:2004	Present/Absent in 25gm/ ml
210.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Sweets, Confectionery and their products	Bacillus cereus	ISO 7932:2004	≥ 1cfu/ml OR ≥10cfu/gm



**National Accreditation Board for
Testing and Calibration Laboratories
&
Export Inspection Council
(Ministry of Commerce & Industry, Govt. of
India)**



SCOPE OF ACCREDITATION

Laboratory Name **Accurate Universal Laboratories Private Limited, D-171 to 174, 263 to 266, Siddhi Industrial Park, Kazipur Dariyapur, Bardolpura, Ahmedabad, Gujarat**

Accreditation Standard **ISO/IEC 17025: 2017**

Certificate No. **TC-5021 (Integrated)**

Page No. **27 of 49**

Validity **18.04.2025 to 26.03.2027**

Last Amended on **-**

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests Performed	Test Method Specification against which tests are performed and / or the techniques / equipment used	Range of Testing / Limits of Detection
211.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Sweets, Confectionery and their products	Coliform (Enumeration)	ISO 4832:2006	≥ 1cfu/ml OR ≥10cfu/gm
212.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Sweets, Confectionery and their products	E.Coli (Detection)	ISO 7251:2005	Present/Absent in gm/ ml
213.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Sweets, Confectionery and their products	E.Coli (Enumeration)	ISO 16649-2:2001	≥ 1cfu/ml OR ≥10cfu/gm
214.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Sweets, Confectionery and their products	Enterobacteriaceae (Enumeration)	ISO 21528-2:2017	≥ 1cfu/ml OR ≥10cfu/gm
215.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Sweets, Confectionery and their products	Enterobacteriaceae (Detection)	ISO 21528-1:2017	Present/Absent in gm/ ml
216.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Sweets, Confectionery and their products	S.aureus(Enumeration)	ISO 6888-1:2021	≥ 1cfu/ml OR ≥10cfu/gm
217.	BIOLOGICAL/ FOOD AND AGRICULTURAL PRODUCTS	Sweets, Confectionery and their products	S.aureus (Detection)	ISO 6888-3:2003	Present/Absent in gm/ ml
218.	BIOLOGICAL/ WATER	Drinking Water	Coliform	ISO 9308-1:2014	Present/Absent in 250 ml
219.	BIOLOGICAL/ WATER	Drinking Water	Total viable count @ 22°C ±2 °C for 68±4 hrs	ISO 6222:1999	Max 100 cfu/ml
220.	BIOLOGICAL/	Drinking Water	E.coli	ISO 9308-1:2014	Present/Absent in



**National Accreditation Board for
Testing and Calibration Laboratories
&
Export Inspection Council
(Ministry of Commerce & Industry, Govt. of
India)**



SCOPE OF ACCREDITATION

Laboratory Name **Accurate Universal Laboratories Private Limited, D-171 to 174, 263 to 266, Siddhi Industrial Park, Kazipur Dariyapur, Bardolpura, Ahmedabad, Gujarat**

Accreditation Standard **ISO/IEC 17025: 2017**

Certificate No. **TC-5021 (Integrated)**

Page No. **28 of 49**

Validity **18.04.2025 to 26.03.2027**

Last Amended on **-**

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests Performed	Test Method Specification against which tests are performed and / or the techniques / equipment used	Range of Testing / Limits of Detection
	WATER				250 ml
221.	BIOLOGICAL/ WATER	Drinking Water	Total viable count @ 36±2°C for 44±4hrs	ISO 6222:1999	Max 20 cfu/ml
222.	BIOLOGICAL/ WATER	Drinking Water	Enterococci	ISO 7899-2:2000	Present/Absent in 250 ml
223.	BIOLOGICAL/ WATER	Drinking Water	Pseudomonas aeruginosa	ISO 16266:2006	Present/Absent in 250 ml
224.	BIOLOGICAL/ WATER	Drinking Water	Clostridium perfringenes	ISO 14189:2013	Present/Absent in 50 ml
225.	CHEMICAL/ FOOD AND AGRICULTURAL PRODUCTS	Proprietary Food, Snacks, Namkeen	Moisture	IS 15271	0.2 to 35 g/100g
226.	CHEMICAL/ FOOD AND AGRICULTURAL PRODUCTS	Proprietary Food, Snacks, Namkeen	Peroxide Value	IS 15271	0.5 to 20 meq/kg
227.	CHEMICAL/ FOOD AND AGRICULTURAL PRODUCTS	Proprietary Food, Snacks, Namkeen	Total Ash	IS 15271	0.1 to 20 g/100g
228.	CHEMICAL/ FOOD AND AGRICULTURAL PRODUCTS	Proprietary Food, Snacks, Namkeen	Acid insoluble ash	IS 15271	0.01 to 5 g/100g
229.	CHEMICAL/ FOOD AND AGRICULTURAL PRODUCTS	Proprietary Food, Snacks, Namkeen	Acid value of extracted fat	IS 15271	0.1 to 5
230.	CHEMICAL/ FOOD AND AGRICULTURAL PRODUCTS	Proprietary Food, Snacks, Namkeen	Fat	IS 15271	0.05 to 70 g/100g



**National Accreditation Board for
Testing and Calibration Laboratories
&
Export Inspection Council
(Ministry of Commerce & Industry, Govt. of
India)**



SCOPE OF ACCREDITATION

Laboratory Name Accurate Universal Laboratories Private Limited, D-171 to 174, 263 to 266, Siddhi Industrial Park, Kazipur Dariyapur, Bardolpura, Ahmedabad, Gujarat

Accreditation Standard ISO/IEC 17025: 2017

Certificate No. TC-5021 (Integrated)

Page No. 29 of 49

Validity 18.04.2025 to 26.03.2027

Last Amended on -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests Performed	Test Method Specification against which tests are performed and / or the techniques / equipment used	Range of Testing / Limits of Detection
231.	CHEMICAL/ FOOD AND AGRICULTURAL PRODUCTS	Proprietary Food, Snacks, Namkeen	Antimony (as Sb)	AL/SOP/6.4/C- 157, Issue no.1	0.05 to 500 mg/kg
232.	CHEMICAL/ FOOD AND AGRICULTURAL PRODUCTS	Proprietary Food, Snacks, Namkeen	Arsenic (as As)	AL/SOP/6.4/C- 157, Issue no.1	0.05 to 500 mg/kg
233.	CHEMICAL/ FOOD AND AGRICULTURAL PRODUCTS	Proprietary Food, Snacks, Namkeen	Cadmium (as Cd)	AL/SOP/6.4/C- 157, Issue no.1	0.05 to 500 mg/kg
234.	CHEMICAL/ FOOD AND AGRICULTURAL PRODUCTS	Proprietary Food, Snacks, Namkeen	Chromium (as Cr)	AL/SOP/6.4/C- 157, Issue no.1	0.05 to 500 mg/kg
235.	CHEMICAL/ FOOD AND AGRICULTURAL PRODUCTS	Proprietary Food, Snacks, Namkeen	Copper (as Cu)	AL/SOP/6.4/C- 157, Issue no.1	0.05 to 500 mg/kg
236.	CHEMICAL/ FOOD AND AGRICULTURAL PRODUCTS	Proprietary Food, Snacks, Namkeen	Iron (as Fe)	AL/SOP/6.4/C- 157, Issue no.1	0.5 to 50000 mg/kg
237.	CHEMICAL/ FOOD AND AGRICULTURAL PRODUCTS	Proprietary Food, Snacks, Namkeen	Lead (as Pb)	AL/SOP/6.4/C- 157, Issue no.1	0.05 to 500 mg/kg
238.	CHEMICAL/ FOOD AND AGRICULTURAL PRODUCTS	Proprietary Food, Snacks, Namkeen	Manganese (as Mn)	AL/SOP/6.4/C- 157, Issue no.1	0.5 to 50000 mg/kg
239.	CHEMICAL/	Proprietary Food,	Mercury (as Hg)	AL/SOP/6.4/C- 157,	0.05 to 500 mg/kg



**National Accreditation Board for
Testing and Calibration Laboratories
&
Export Inspection Council
(Ministry of Commerce & Industry, Govt. of
India)**



SCOPE OF ACCREDITATION

Laboratory Name **Accurate Universal Laboratories Private Limited, D-171 to 174, 263 to 266, Siddhi Industrial Park, Kazipur Dariyapur, Bardolpura, Ahmedabad, Gujarat**

Accreditation Standard **ISO/IEC 17025: 2017**

Certificate No. **TC-5021 (Integrated)**

Page No. **30 of 49**

Validity **18.04.2025 to 26.03.2027**

Last Amended on **-**

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests Performed	Test Method Specification against which tests are performed and / or the techniques / equipment used	Range of Testing / Limits of Detection
	FOOD AND AGRICULTURAL PRODUCTS	Snacks, Namkeen		Issue no.1	
240.	CHEMICAL/ FOOD AND AGRICULTURAL PRODUCTS	Proprietary Food, Snacks, Namkeen	Nickel (as Ni)	AL/SOP/6.4/C- 157, Issue no.1	0.5 to 50000 mg/kg
241.	CHEMICAL/ FOOD AND AGRICULTURAL PRODUCTS	Proprietary Food, Snacks, Namkeen	Phosphorous (as P)	AL/SOP/6.4/C- 157, Issue no.1	1 to 50000 mg/kg
242.	CHEMICAL/ FOOD AND AGRICULTURAL PRODUCTS	Proprietary Food, Snacks, Namkeen	Selenium (as Se)	AL/SOP/6.4/C- 157, Issue no.1	0.5 to 50000 mg/kg
243.	CHEMICAL/ FOOD AND AGRICULTURAL PRODUCTS	Proprietary Food, Snacks, Namkeen	Tin (as Sn)	AL/SOP/6.4/C- 157, Issue no.1	0.05 to 500 mg/kg
244.	CHEMICAL/ FOOD AND AGRICULTURAL PRODUCTS	Proprietary Food, Snacks, Namkeen	Zinc (as Zn)	AL/SOP/6.4/C- 157, Issue no.1	0.5 to 50000 mg/kg
245.	CHEMICAL/ FOOD AND AGRICULTURAL PRODUCTS	Rice	Moisture	IS 4333 (Part 2)	0.01 to 100 g/100g
246.	CHEMICAL/ FOOD AND AGRICULTURAL PRODUCTS	Rice	Broken and Fragment grains	IS 4333 (Part 1)	0.01 to 100 g/100g
247.	CHEMICAL/ FOOD AND	Rice	Foreign Matter	IS 4333 (Part 1)	0.01 to 100 g/100g



**National Accreditation Board for
Testing and Calibration Laboratories
&
Export Inspection Council
(Ministry of Commerce & Industry, Govt. of
India)**



SCOPE OF ACCREDITATION

Laboratory Name Accurate Universal Laboratories Private Limited, D-171 to 174, 263 to 266, Siddhi Industrial Park, Kazipur Dariyapur, Bardolpura, Ahmedabad, Gujarat

Accreditation Standard ISO/IEC 17025: 2017

Certificate No. TC-5021 (Integrated)

Page No. 31 of 49

Validity 18.04.2025 to 26.03.2027

Last Amended on -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests Performed	Test Method Specification against which tests are performed and / or the techniques / equipment used	Range of Testing / Limits of Detection
	AGRICULTURAL PRODUCTS				
248.	CHEMICAL/ FOOD AND AGRICULTURAL PRODUCTS	Rice	Other varieties of basmati rice	IS 4333 (Part 1)	0.01 to 100 g/100g
249.	CHEMICAL/ FOOD AND AGRICULTURAL PRODUCTS	Rice	Other grains	IS 4333 (Part 1)	0.01 to 100 g/100g
250.	CHEMICAL/ FOOD AND AGRICULTURAL PRODUCTS	Rice	Under milled and red stripped grains	IS 4333 (Part 1)	0.01 to 100 g/100g
251.	CHEMICAL/ FOOD AND AGRICULTURAL PRODUCTS	Rice	Chalky grains	IS 4333 (Part 1)	0.01 to 100 g/100g
252.	CHEMICAL/ FOOD AND AGRICULTURAL PRODUCTS	Rice	Green grains	IS 4333 (Part 1)	0.01 to 100 g/100g
253.	CHEMICAL/ FOOD AND AGRICULTURAL PRODUCTS	Rice	Paddy grains	IS 4333 (Part 1)	0.01 to 100 g/100g
254.	CHEMICAL/ FOOD AND AGRICULTURAL PRODUCTS	Rice	Damaged Discolored grains	IS 4333 (Part 1)	0.01 to 100 g/100g
255.	CHEMICAL/ FOOD AND AGRICULTURAL	Rice	Length	AL/SOP/ 6.4/C-260, Issue No. 1	1 to 20mm



**National Accreditation Board for
Testing and Calibration Laboratories
&
Export Inspection Council
(Ministry of Commerce & Industry, Govt. of
India)**



SCOPE OF ACCREDITATION

Laboratory Name Accurate Universal Laboratories Private Limited, D-171 to 174, 263 to 266, Siddhi Industrial Park, Kazipur Dariyapur, Bardolpura, Ahmedabad, Gujarat

Accreditation Standard ISO/IEC 17025: 2017

Certificate No. TC-5021 (Integrated)

Page No. 32 of 49

Validity 18.04.2025 to 26.03.2027

Last Amended on -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests Performed	Test Method Specification against which tests are performed and / or the techniques / equipment used	Range of Testing / Limits of Detection
	PRODUCTS				
256.	CHEMICAL/ FOOD AND AGRICULTURAL PRODUCTS	Rice	Breadth	AL/SOP/ 6.4/C-260, Issue No. 1	1 to 20mm
257.	CHEMICAL/ FOOD AND AGRICULTURAL PRODUCTS	Rice	Length/Breadth ratio	AL/SOP/ 6.4/C-260, Issue No. 1	0.05 to 20
258.	CHEMICAL/ FOOD AND AGRICULTURAL PRODUCTS	Rice	Elongation ratio	AL/SOP/ 6.4/C-260, Issue No. 1	0.05 to 20
259.	CHEMICAL/ FOOD AND AGRICULTURAL PRODUCTS	Food Grains, Cereal, Pulses and their Products	Moisture	ISO 24557	1 to 25g/100g
260.	CHEMICAL/ FOOD AND AGRICULTURAL PRODUCTS	Food Grains, Cereal, Pulses and their Products	Protein	ISO 20483	0.1 to 100 g/100g
261.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN FOOD AND AGRICULTURAL PRODUCTS	Food Grains, Cereal, Pulses and their Products	Acephate	AL/SOP/ 6.4/C-192, Issue No. 1	0.005 to 10 mg/kg
262.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN FOOD AND AGRICULTURAL PRODUCTS	Food Grains, Cereal, Pulses and their Products	Buprofezin	AL/SOP/ 6.4/C-192, Issue No. 1	0.005 to 10 mg/kg



**National Accreditation Board for
Testing and Calibration Laboratories
&
Export Inspection Council
(Ministry of Commerce & Industry, Govt. of
India)**



SCOPE OF ACCREDITATION

Laboratory Name Accurate Universal Laboratories Private Limited, D-171 to 174, 263 to 266, Siddhi Industrial Park, Kazipur Dariyapur, Bardolpura, Ahmedabad, Gujarat

Accreditation Standard ISO/IEC 17025: 2017

Certificate No. TC-5021 (Integrated)

Page No. 33 of 49

Validity 18.04.2025 to 26.03.2027

Last Amended on -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests Performed	Test Method Specification against which tests are performed and / or the techniques / equipment used	Range of Testing / Limits of Detection
263.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN FOOD AND AGRICULTURAL PRODUCTS	Food Grains, Cereal, Pulses and their Products	Carbendazim+ Benomyl [sum of benomyl and carbendazim expressed as carbendazim (R)]	AL/SOP/ 6.4/C-192, Issue No. 1	0.005 to 10 mg/kg
264.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN FOOD AND AGRICULTURAL PRODUCTS	Food Grains, Cereal, Pulses and their Products	Carbofuran	AL/SOP/ 6.4/C-192, Issue No. 1	0.005 to 10 mg/kg
265.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN FOOD AND AGRICULTURAL PRODUCTS	Food Grains, Cereal, Pulses and their Products	Chlorpyrifos	AL/SOP/ 6.4/C-192, Issue No. 1	0.005 to 10 mg/kg
266.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN FOOD AND AGRICULTURAL PRODUCTS	Food Grains, Cereal, Pulses and their Products	Clothianidin	AL/SOP/ 6.4/C-192, Issue No. 1	0.005 to 10 mg/kg
267.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN FOOD AND AGRICULTURAL PRODUCTS	Food Grains, Cereal, Pulses and their Products	Isoprothiolane	AL/SOP/ 6.4/C-192, Issue No. 1	0.005 to 10 mg/kg
268.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN	Food Grains, Cereal, Pulses and their Products	Methamidophos	AL/SOP/ 6.4/C-192, Issue No. 1	0.005 to 10 mg/kg



**National Accreditation Board for
Testing and Calibration Laboratories
&
Export Inspection Council
(Ministry of Commerce & Industry, Govt. of
India)**



SCOPE OF ACCREDITATION

Laboratory Name Accurate Universal Laboratories Private Limited, D-171 to 174, 263 to 266, Siddhi Industrial Park, Kazipur Dariyapur, Bardolpura, Ahmedabad, Gujarat

Accreditation Standard ISO/IEC 17025: 2017

Certificate No. TC-5021 (Integrated)

Page No. 34 of 49

Validity 18.04.2025 to 26.03.2027

Last Amended on -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests Performed	Test Method Specification against which tests are performed and / or the techniques / equipment used	Range of Testing / Limits of Detection
	FOOD AND AGRICULTURAL PRODUCTS				
269.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN FOOD AND AGRICULTURAL PRODUCTS	Food Grains, Cereal, Pulses and their Products	Primiphos-methyl	AL/SOP/ 6.4/C-192, Issue No. 1	0.005 to 10 mg/kg
270.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN FOOD AND AGRICULTURAL PRODUCTS	Food Grains, Cereal, Pulses and their Products	Profenofos	AL/SOP/ 6.4/C-192, Issue No. 1	0.005 to 10 mg/kg
271.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN FOOD AND AGRICULTURAL PRODUCTS	Food Grains, Cereal, Pulses and their Products	Propiconazole	AL/SOP/ 6.4/C-192, Issue No. 1	0.005 to 10 mg/kg
272.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN FOOD AND AGRICULTURAL PRODUCTS	Food Grains, Cereal, Pulses and their Products	Tebuconazole	AL/SOP/ 6.4/C-192, Issue No. 1	0.005 to 10 mg/kg
273.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN FOOD AND AGRICULTURAL PRODUCTS	Food Grains, Cereal, Pulses and their Products	Triazophos	AL/SOP/ 6.4/C-192, Issue No. 1	0.005 to 10 mg/kg



**National Accreditation Board for
Testing and Calibration Laboratories
&
Export Inspection Council
(Ministry of Commerce & Industry, Govt. of
India)**



SCOPE OF ACCREDITATION

Laboratory Name Accurate Universal Laboratories Private Limited, D-171 to 174, 263 to 266, Siddhi Industrial Park, Kazipur Dariyapur, Bardolpura, Ahmedabad, Gujarat

Accreditation Standard ISO/IEC 17025: 2017

Certificate No. TC-5021 (Integrated)

Page No. 35 of 49

Validity 18.04.2025 to 26.03.2027

Last Amended on -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests Performed	Test Method Specification against which tests are performed and / or the techniques / equipment used	Range of Testing / Limits of Detection
274.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN FOOD AND AGRICULTURAL PRODUCTS	Food Grains, Cereal, Pulses and their Products	Thiamethoxam	AL/SOP/ 6.4/C-192, Issue No. 1	0.005 to 10 mg/kg
275.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN FOOD AND AGRICULTURAL PRODUCTS	Food Grains, Cereal, Pulses and their Products	Tricyclazole	AL/SOP/ 6.4/C-192, Issue No. 1	0.005 to 10 mg/kg
276.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN FOOD AND AGRICULTURAL PRODUCTS	Food Grains, Cereal, Pulses and their Products	Flonicamid (sum of flonicamid, TNFG and TNFA) (R)	AL/SOP/ 6.4/C-192, Issue No. 1	0.005 to 10 mg/kg
277.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN FOOD AND AGRICULTURAL PRODUCTS	Food Grains, Cereal, Pulses and their Products	Imidacloprid	AL/SOP/ 6.4/C-192, Issue No. 1	0.005 to 10 mg/kg
278.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN FOOD AND AGRICULTURAL PRODUCTS	Food Grains, Cereal, Pulses and their Products	Metconazole (sum of isomers) (F)	AL/SOP/ 6.4/C-192, Issue No. 1	0.005 to 10 mg/kg
279.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN	Food Grains, Cereal, Pulses and their Products	Prothioconazole(prothioc onazole -desthio sum of isomers)	AL/SOP/ 6.4/C-192, Issue No. 1	0.005 to 10 mg/kg



**National Accreditation Board for
Testing and Calibration Laboratories
&
Export Inspection Council**
(Ministry of Commerce & Industry, Govt. of
India)



SCOPE OF ACCREDITATION

Laboratory Name Accurate Universal Laboratories Private Limited, D-171 to 174, 263 to 266, Siddhi Industrial Park, Kazipur Dariyapur, Bardolpura, Ahmedabad, Gujarat

Accreditation Standard ISO/IEC 17025: 2017

Certificate No. TC-5021 (Integrated)

Page No. 36 of 49

Validity 18.04.2025 to 26.03.2027

Last Amended on -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests Performed	Test Method Specification against which tests are performed and / or the techniques / equipment used	Range of Testing / Limits of Detection
	FOOD AND AGRICULTURAL PRODUCTS				
280.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN FOOD AND AGRICULTURAL PRODUCTS	Food Grains, Cereal, Pulses and their Products	Tebufoenozide	AL/SOP/ 6.4/C-192, Issue No. 1	0.005 to 10 mg/kg
281.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN FOOD AND AGRICULTURAL PRODUCTS	Food Grains, Cereal, Pulses and their Products	Thiophanate Methyl	AL/SOP/ 6.4/C-192, Issue No. 1	0.005 to 10 mg/kg
282.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN FOOD AND AGRICULTURAL PRODUCTS	Food Grains, Cereal, Pulses and their Products	Cyfluthrin (Cyfluthrin including other mixtures of constituent isomers (sum of isomers) (F)	AL/SOP/ 6.4/C-192, Issue No. 1	0.005 to 10 mg/kg
283.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN FOOD AND AGRICULTURAL PRODUCTS	Food Grains, Cereal, Pulses and their Products	Ochratoxin A	AL/SOP/6.4/C- 165, Issue no.1	0.5 to 100 mcg/kg
284.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN FOOD AND AGRICULTURAL PRODUCTS	Food Grains, Cereal, Pulses and their Products	Antimony (as Sb)	AL/SOP/6.4/C- 157, Issue no.1	0.05 to 500 mg/kg



**National Accreditation Board for
Testing and Calibration Laboratories
&
Export Inspection Council
(Ministry of Commerce & Industry, Govt. of
India)**



SCOPE OF ACCREDITATION

Laboratory Name Accurate Universal Laboratories Private Limited, D-171 to 174, 263 to 266, Siddhi Industrial Park, Kazipur Dariyapur, Bardolpura, Ahmedabad, Gujarat

Accreditation Standard ISO/IEC 17025: 2017

Certificate No. TC-5021 (Integrated)

Page No. 37 of 49

Validity 18.04.2025 to 26.03.2027

Last Amended on -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests Performed	Test Method Specification against which tests are performed and / or the techniques / equipment used	Range of Testing / Limits of Detection
285.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN FOOD AND AGRICULTURAL PRODUCTS	Food Grains, Cereal, Pulses and their Products	Arsenic (as As)	AL/SOP/6.4/C- 157, Issue no.2	0.05 to 500 mg/kg
286.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN FOOD AND AGRICULTURAL PRODUCTS	Food Grains, Cereal, Pulses and their Products	Cadmium (as Cd)	AL/SOP/6.4/C- 157, Issue no.3	0.05 to 500 mg/kg
287.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN FOOD AND AGRICULTURAL PRODUCTS	Food Grains, Cereal, Pulses and their Products	Chromium (as Cr)	AL/SOP/6.4/C- 157, Issue no.4	0.05 to 500 mg/kg
288.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN FOOD AND AGRICULTURAL PRODUCTS	Food Grains, Cereal, Pulses and their Products	Copper (as Cu)	AL/SOP/6.4/C- 157, Issue no.5	0.05 to 500 mg/kg
289.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN FOOD AND AGRICULTURAL PRODUCTS	Food Grains, Cereal, Pulses and their Products	Iron (as Fe)	AL/SOP/6.4/C- 157, Issue no.6	0.2 to 5000 mg/kg
290.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN	Food Grains, Cereal, Pulses and their Products	Lead (as Pb)	AL/SOP/6.4/C- 157, Issue no.7	0.05 to 500 mg/kg



**National Accreditation Board for
Testing and Calibration Laboratories
&
Export Inspection Council
(Ministry of Commerce & Industry, Govt. of
India)**



SCOPE OF ACCREDITATION

Laboratory Name Accurate Universal Laboratories Private Limited, D-171 to 174, 263 to 266, Siddhi Industrial Park, Kazipur Dariyapur, Bardolpura, Ahmedabad, Gujarat

Accreditation Standard ISO/IEC 17025: 2017

Certificate No. TC-5021 (Integrated)

Page No. 38 of 49

Validity 18.04.2025 to 26.03.2027

Last Amended on -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests Performed	Test Method Specification against which tests are performed and / or the techniques / equipment used	Range of Testing / Limits of Detection
	FOOD AND AGRICULTURAL PRODUCTS				
291.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN FOOD AND AGRICULTURAL PRODUCTS	Food Grains, Cereal, Pulses and their Products	Manganese (as Mn)	AL/SOP/6.4/C- 157, Issue no.9	0.05 to 500 mg/kg
292.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN FOOD AND AGRICULTURAL PRODUCTS	Food Grains, Cereal, Pulses and their Products	Mercury (as Hg)	AL/SOP/6.4/C- 157, Issue no.10	0.2 to 5000 mg/kg
293.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN FOOD AND AGRICULTURAL PRODUCTS	Food Grains, Cereal, Pulses and their Products	Nickel (as Ni)	AL/SOP/6.4/C- 157, Issue no.11	0.05 to 500 mg/kg
294.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN FOOD AND AGRICULTURAL PRODUCTS	Food Grains, Cereal, Pulses and their Products	Phosphorous (as P)	AL/SOP/6.4/C- 157, Issue no.12	0.05 to 500 mg/kg
295.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN FOOD AND AGRICULTURAL PRODUCTS	Food Grains, Cereal, Pulses and their Products	Tin (as Sn)	AL/SOP/6.4/C- 157, Issue no.13	0.05 to 500 mg/kg



**National Accreditation Board for
Testing and Calibration Laboratories
&
Export Inspection Council
(Ministry of Commerce & Industry, Govt. of
India)**



SCOPE OF ACCREDITATION

Laboratory Name **Accurate Universal Laboratories Private Limited, D-171 to 174, 263 to 266, Siddhi Industrial Park, Kazipur Dariyapur, Bardolpura, Ahmedabad, Gujarat**

Accreditation Standard **ISO/IEC 17025: 2017**

Certificate No. **TC-5021 (Integrated)**

Page No. **39 of 49**

Validity **18.04.2025 to 26.03.2027**

Last Amended on **-**

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests Performed	Test Method Specification against which tests are performed and / or the techniques / equipment used	Range of Testing / Limits of Detection
296.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN FOOD AND AGRICULTURAL PRODUCTS	Food Grains, Cereal,Pulses and their Products	Zinc (as Zn)	AL/SOP/6.4/C- 157, Issue no.14	1 to 5000 mg/kg
297.	CHEMICAL/ WATER	Drinking Water	Anionic Surface active agents (as MBAS)	IS 3025 (Part 68)	0.05 to 10 mg/kg
298.	CHEMICAL/ WATER	Drinking Water	Bromate (as BrO ₃ ⁻)	ISO 15061/IS 3025 (Part 67)	0.003 to 10 mg/l
299.	CHEMICAL/ WATER	Drinking Water	Cyanide (as CN)	IS 3025 (Part 27/Sec 1)	0.005 to 10 mg/l
300.	CHEMICAL/ WATER	Drinking Water	Mineral Oil	IS 3025 (Part 39)	0.4 to 10 mg/l
301.	CHEMICAL/ WATER	Drinking Water	Phenolic Compounds (as C ₆ H ₅ OH)	IS 3025 (Part 43/Sec 1)	0.001 to 10 mg/l
302.	CHEMICAL/ WATER	Drinking Water	Residual free chlorine	IS 3025 (Part 26)	0.05 to 10 mg/l
303.	CHEMICAL/ WATER	Drinking Water	Sulphide (as H ₂ S)	IS 3025 (Part 29)	0.05 to 10 mg/l
304.	CHEMICAL/ WATER	Drinking Water	Alkalinity (as CaCO ₃)	IS 3025 (Part 23)	1 to 600 mg/l
305.	CHEMICAL/ WATER	Drinking Water	Calcium (as Ca)	IS 3025 (Part 40)	0.5 to 200 mg/l
306.	CHEMICAL/ WATER	Drinking Water	Chloride (as Cl)	IS 3025 (Part 32)	1 to 600 mg/l
307.	CHEMICAL/ WATER	Drinking Water	Colour	IS 3025 (Part 4)	1 to 10 Hazen
308.	CHEMICAL/ WATER	Drinking Water	Electrical Conductivity	IS 3025 (Part 14)	1 to 10000µS/cm
309.	CHEMICAL/ WATER	Drinking Water	Fluoride (as F)	IS 3025 (Part 75)	0.25 to 5 mg/l
310.	CHEMICAL/	Drinking Water	Magnesium (as Mg)	IS 3025(Part 46)	0.1 to 500 mg/l

This is annexure to 'Certificate of Accreditation' and does not require any signature.



**National Accreditation Board for
Testing and Calibration Laboratories
&
Export Inspection Council
(Ministry of Commerce & Industry, Govt. of
India)**



SCOPE OF ACCREDITATION

Laboratory Name **Accurate Universal Laboratories Private Limited, D-171 to 174, 263 to 266, Siddhi Industrial Park, Kazipur Dariyapur, Bardolpura, Ahmedabad, Gujarat**

Accreditation Standard **ISO/IEC 17025: 2017**

Certificate No. **TC-5021 (Integrated)**

Page No. **40 of 49**

Validity **18.04.2025 to 26.03.2027**

Last Amended on **-**

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests Performed	Test Method Specification against which tests are performed and / or the techniques / equipment used	Range of Testing / Limits of Detection
	WATER				
311.	CHEMICAL/ WATER	Drinking Water	Nitrate (as NO ₃)	IS:3025 (Part 34)/ IS 3025 (Part 75)	1 to 50 mg/l
312.	CHEMICAL/ WATER	Drinking Water	Nitrite (as NO ₂)	IS:3025 (Part 34)/ IS 3025 (Part 75)	0.01 to 1 mg/l
313.	CHEMICAL/ WATER	Drinking Water	Odour	IS 3025 (Part 5)	N.A.
314.	CHEMICAL/ WATER	Drinking Water	pH	IS 3025(Part 11)	1 to 14
315.	CHEMICAL/ WATER	Drinking Water	Sodium	IS 3025(Part 45)	1 to 50000 mg/l
316.	CHEMICAL/ WATER	Drinking Water	Sulphate (as SO ₄)	IS 3025 (Part 75)	0.5 to 250 mg/l
317.	CHEMICAL/ WATER	Drinking Water	Taste	IS 3025 (Part 8)	N.A.
318.	CHEMICAL/ WATER	Drinking Water	Total dissolved solids	IS 3025 (Part 16)	5 to 2000 mg/l
319.	CHEMICAL/ WATER	Drinking Water	Total Hardness (as CaCO ₃)	IS:3025 (Part 21)	0.5 to 600 mg/l
320.	CHEMICAL/ WATER	Drinking Water	Turbidity	IS 3025 (Part 10)	0.1 to 10 NTU
321.	CHEMICAL/ WATER	Drinking Water	Ammonia (as Total Ammonia-N)	IS 3025(Part 34)/Sec1	0.4 to 50 mg/l
322.	CHEMICAL/ WATER	Drinking Water	Chloramine (as Cl ₂)	IS 3025 (Part 26)	0.05 to 5 mg/l
323.	CHEMICAL/ WATER	Drinking Water	Magnesium	IS 3025 (Part 2)	0.1 to 1000 mg/l
324.	CHEMICAL/ WATER	Drinking Water	Residual Free chlorine	IS 3025 (Part 26)	0.05 to 5 mg/l
325.	CHEMICAL/ WATER	Drinking Water	Sodium	IS 3025 (Part 2)	1 to 1000 mg/l
326.	CHEMICAL/ WATER	Drinking Water	Description	AL/SOP/6.4/C-189, Issue no.1	N.A.

This is annexure to 'Certificate of Accreditation' and does not require any signature.



**National Accreditation Board for
Testing and Calibration Laboratories
&
Export Inspection Council
(Ministry of Commerce & Industry, Govt. of
India)**



SCOPE OF ACCREDITATION

Laboratory Name Accurate Universal Laboratories Private Limited, D-171 to 174, 263 to 266, Siddhi Industrial Park, Kazipur Dariyapur, Bardolpura, Ahmedabad, Gujarat

Accreditation Standard ISO/IEC 17025: 2017

Certificate No. TC-5021 (Integrated)

Page No. 41 of 49

Validity 18.04.2025 to 26.03.2027

Last Amended on -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests Performed	Test Method Specification against which tests are performed and / or the techniques / equipment used	Range of Testing / Limits of Detection
327.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	Antimony (as Sb)	IS 3025 (Part 65)	0.5 to 10000 µg/l
328.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	Arsenic (as As)	IS 3025 (Part 65)	0.5 to 10000 µg/l
329.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	Borates (as B) or Boron (as B)	IS 3025 (Part 65)	5 to 10000 µg/l
330.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	Cadmium (as Cd)	IS 3025 (Part 65)	0.5 to 10000 µg/l
331.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	Chromium (as Cr)	IS 3025 (Part 65)	0.5 to 10000 µg/l
332.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	Iron (as Fe)	IS 3025 (Part 65)	5 to 10000 µg/l
333.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	Lead (as Pb)	IS 3025 (Part 65)	0.5 to 10000 µg/l
334.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	Barium (as Ba)	IS 3025 (Part 65)	0.5 to 10000 µg/l



**National Accreditation Board for
Testing and Calibration Laboratories
&
Export Inspection Council
(Ministry of Commerce & Industry, Govt. of
India)**



SCOPE OF ACCREDITATION

Laboratory Name Accurate Universal Laboratories Private Limited, D-171 to 174, 263 to 266, Siddhi Industrial Park, Kazipur Dariyapur, Bardolpura, Ahmedabad, Gujarat

Accreditation Standard ISO/IEC 17025: 2017

Certificate No. TC-5021 (Integrated)

Page No. 42 of 49

Validity 18.04.2025 to 26.03.2027

Last Amended on -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests Performed	Test Method Specification against which tests are performed and / or the techniques / equipment used	Range of Testing / Limits of Detection
335.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	Copper (as Cu)	IS 3025 (Part 65)	0.5 to 10000 µg/l
336.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	Aluminium (as Al)	IS 3025 (Part 65)	5 to 10000 µg/l
337.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	Manganese	IS 3025 (Part 65)	0.5 to 10000 µg/l
338.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	Mercury (as Hg)	IS 3025 (Part 65)	0.5 to 10000 µg/l
339.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	Nickel (as Ni)	IS 3025 (Part 65)	0.5 to 10000 µg/l
340.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	Selenium (as Se)	IS 3025 (Part 65)	0.5 to 10000 µg/l
341.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	Silver (as Ag)	IS 3025 (Part 65)	0.5 to 10000 µg/l
342.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	Uranium (as U)	IS 3025 (Part 65)	0.5 to 10000 µg/l
343.	CHEMICAL/	Drinking Water	Zinc (as Zn)	IS 3025 (Part 65)	0.5 to 10000 µg/l



**National Accreditation Board for
Testing and Calibration Laboratories
&
Export Inspection Council
(Ministry of Commerce & Industry, Govt. of
India)**



SCOPE OF ACCREDITATION

Laboratory Name **Accurate Universal Laboratories Private Limited, D-171 to 174, 263 to 266, Siddhi Industrial Park, Kazipur Dariyapur, Bardolpura, Ahmedabad, Gujarat**

Accreditation Standard **ISO/IEC 17025: 2017**

Certificate No. **TC-5021 (Integrated)**

Page No. **43 of 49**

Validity **18.04.2025 to 26.03.2027**

Last Amended on **-**

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests Performed	Test Method Specification against which tests are performed and / or the techniques / equipment used	Range of Testing / Limits of Detection
	RESIDUES AND CONTAMINANTS IN WATER				
344.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	Bromodichloromethane	AL/SOP/6.4/C-238, Issue no.1	0.01 to 10µg/l
345.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	Bromoform	AL/SOP/6.4/C-238, Issue no.1	0.01 to 10µg/l
346.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	Chloroform	AL/SOP/6.4/C-238, Issue no.1	0.01 to 10µg/l
347.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	Dibromochloromethane	AL/SOP/6.4/C-238, Issue no.1	0.01 to 10µg/l
348.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	BHC-alpha (benzene hexachloride)	AL/SOP/6.4/C-191, Issue no.1	0.01 to 10µg/l
349.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	BHC-beta	AL/SOP/6.4/C-191, Issue no.1	0.01 to 10µg/l
350.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	BHC-delta	AL/SOP/6.4/C-191, Issue no.1	0.01 to 10µg/l
351.	CHEMICAL/ RESIDUES AND	Drinking Water	2,4-D	AL/SOP/6.4/C-191, Issue no.1	0.01 to 10µg/l



**National Accreditation Board for
Testing and Calibration Laboratories
&
Export Inspection Council
(Ministry of Commerce & Industry, Govt. of
India)**



SCOPE OF ACCREDITATION

Laboratory Name Accurate Universal Laboratories Private Limited, D-171 to 174, 263 to 266, Siddhi Industrial Park, Kazipur Dariyapur, Bardolpura, Ahmedabad, Gujarat

Accreditation Standard ISO/IEC 17025: 2017

Certificate No. TC-5021 (Integrated)

Page No. 44 of 49

Validity 18.04.2025 to 26.03.2027

Last Amended on -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests Performed	Test Method Specification against which tests are performed and / or the techniques / equipment used	Range of Testing / Limits of Detection
	CONTAMINANTS IN WATER				
352.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	Alachlor	AL/SOP/6.4/C-191, Issue no.1	0.01 to 10µg/l
353.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	Aldrin	AL/SOP/6.4/C-191, Issue no.1	0.01 to 10µg/l
354.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	Atrazine	AL/SOP/6.4/C-191, Issue no.1	0.01 to 10µg/l
355.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	BHC-gamma (Lindane, gamma HCH)	AL/SOP/6.4/C-191, Issue no.1	0.01 to 10µg/l
356.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	Butachlor	AL/SOP/6.4/C-191, Issue no.1	0.01 to 10µg/l
357.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	Chlorpyrifos	AL/SOP/6.4/C-191, Issue no.1	0.01 to 10µg/l
358.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	Chrysene	AL/SOP/6.4/C-191, Issue no.1	0.01 to 10µg/l
359.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN	Drinking Water	DDD-o,p'	AL/SOP/6.4/C-191, Issue no.1	0.01 to 10µg/l



**National Accreditation Board for
Testing and Calibration Laboratories
&
Export Inspection Council
(Ministry of Commerce & Industry, Govt. of
India)**



SCOPE OF ACCREDITATION

Laboratory Name **Accurate Universal Laboratories Private Limited, D-171 to 174, 263 to 266, Siddhi Industrial Park, Kazipur Dariyapur, Bardolpura, Ahmedabad, Gujarat**

Accreditation Standard **ISO/IEC 17025: 2017**

Certificate No. **TC-5021 (Integrated)**

Page No. **45 of 49**

Validity **18.04.2025 to 26.03.2027**

Last Amended on **-**

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests Performed	Test Method Specification against which tests are performed and / or the techniques / equipment used	Range of Testing / Limits of Detection
	WATER				
360.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	DDD-p,p'	AL/SOP/6.4/C-191, Issue no.1	0.01 to 10 µg/l
361.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	DDE-o,p'	AL/SOP/6.4/C-191, Issue no.1	0.01 to 10 µg/l
362.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	DDE-p,p'	AL/SOP/6.4/C-191, Issue no.1	0.01 to 10 µg/l
363.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	DDT-o,p'	AL/SOP/6.4/C-191, Issue no.1	0.01 to 10 µg/l
364.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	DDT-p,p'	AL/SOP/6.4/C-191, Issue no.1	0.01 to 10 µg/l
365.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	Dieldrin	AL/SOP/6.4/C-191, Issue no.1	0.01 to 10 µg/l
366.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	Endosulfan I (alpha isomer)	AL/SOP/6.4/C-191, Issue no.1	0.01 to 10 µg/l
367.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	Endosulfan II (beta isomer)	AL/SOP/6.4/C-191, Issue no.1	0.01 to 10 µg/l



**National Accreditation Board for
Testing and Calibration Laboratories
&
Export Inspection Council
(Ministry of Commerce & Industry, Govt. of
India)**



SCOPE OF ACCREDITATION

Laboratory Name **Accurate Universal Laboratories Private Limited, D-171 to 174, 263 to 266, Siddhi Industrial Park, Kazipur Dariyapur, Bardolpura, Ahmedabad, Gujarat**

Accreditation Standard **ISO/IEC 17025: 2017**

Certificate No. **TC-5021 (Integrated)**

Page No. **46 of 49**

Validity **18.04.2025 to 26.03.2027**

Last Amended on **-**

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests Performed	Test Method Specification against which tests are performed and / or the techniques / equipment used	Range of Testing / Limits of Detection
368.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	Endosulfan sulfate	AL/SOP/6.4/C-191, Issue no.1	0.01 to 10 µg/l
369.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	Ethion	AL/SOP/6.4/C-191, Issue no.1	0.01 to 10 µg/l
370.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	Isoproturon	AL/SOP/6.4/C-191, Issue no.1	0.01 to 10 µg/l
371.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	Malaoxon	AL/SOP/6.4/C-191, Issue no.1	0.01 to 10 µg/l
372.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	Malathion	AL/SOP/6.4/C-191, Issue no.1	0.01 to 10 µg/l
373.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	Monocrotophos	AL/SOP/6.4/C-191, Issue no.1	0.01 to 10 µg/l
374.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	Paraoxon-methyl	AL/SOP/6.4/C-191, Issue no.1	0.01 to 10 µg/l
375.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	Parathion-methyl	AL/SOP/6.4/C-191, Issue no.1	0.01 to 10 µg/l
376.	CHEMICAL/	Drinking Water	Phorate	AL/SOP/6.4/C-191,	0.01 to 10 µg/l



**National Accreditation Board for
Testing and Calibration Laboratories
&
Export Inspection Council
(Ministry of Commerce & Industry, Govt. of
India)**



SCOPE OF ACCREDITATION

Laboratory Name Accurate Universal Laboratories Private Limited, D-171 to 174, 263 to 266, Siddhi Industrial Park, Kazipur Dariyapur, Bardolpura, Ahmedabad, Gujarat

Accreditation Standard ISO/IEC 17025: 2017

Certificate No. TC-5021 (Integrated)

Page No. 47 of 49

Validity 18.04.2025 to 26.03.2027

Last Amended on -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests Performed	Test Method Specification against which tests are performed and / or the techniques / equipment used	Range of Testing / Limits of Detection
	RESIDUES AND CONTAMINANTS IN WATER			Issue no.1	
377.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	Phorate Sulfone	AL/SOP/6.4/C-191, Issue no.1	0.01 to 10 µg/l
378.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	Phorate Sulfoxide	AL/SOP/6.4/C-191, Issue no.1	0.01 to 10 µg/l
379.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	PCB 28	AL/SOP/6.4/C-191, Issue no.1	0.01 to 10 µg/l
380.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	PCB 52	AL/SOP/6.4/C-191, Issue no.1	0.01 to 10 µg/l
381.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	PCB101	AL/SOP/6.4/C-191, Issue no.1	0.01 to 10 µg/l
382.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	PCB138	AL/SOP/6.4/C-191, Issue no.1	0.01 to 10 µg/l
383.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	PCB153	AL/SOP/6.4/C-191, Issue no.1	0.01 to 10 µg/l
384.	CHEMICAL/ RESIDUES AND	Drinking Water	PCB180	AL/SOP/6.4/C-191, Issue no.1	0.01 to 10 µg/l



**National Accreditation Board for
Testing and Calibration Laboratories
&
Export Inspection Council
(Ministry of Commerce & Industry, Govt. of
India)**



SCOPE OF ACCREDITATION

Laboratory Name **Accurate Universal Laboratories Private Limited, D-171 to 174, 263 to 266, Siddhi Industrial Park, Kazipur Dariyapur, Bardolpura, Ahmedabad, Gujarat**

Accreditation Standard **ISO/IEC 17025: 2017**

Certificate No. **TC-5021 (Integrated)**

Page No. **48 of 49**

Validity **18.04.2025 to 26.03.2027**

Last Amended on **-**

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests Performed	Test Method Specification against which tests are performed and / or the techniques / equipment used	Range of Testing / Limits of Detection
	CONTAMINANTS IN WATER				
385.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	Acenaphthylene	AL/SOP/6.4/C-191, Issue no.1	0.01 to 10 µg/l
386.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	Anthracene	AL/SOP/6.4/C-191, Issue no.1	0.01 to 10 µg/l
387.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	Benzo (a) anthracene	AL/SOP/6.4/C-191, Issue no.1	0.01 to 10 µg/l
388.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	Benzo (a) pyrene	AL/SOP/6.4/C-191, Issue no.1	0.01 to 10 µg/l
389.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	Benzo (b) fluoranthene	AL/SOP/6.4/C-191, Issue no.1	0.01 to 10 µg/l
390.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	Benzo (g,h,i) perylene	AL/SOP/6.4/C-191, Issue no.1	0.01 to 10 µg/l
391.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	Benzo (k) fluoranthene	AL/SOP/6.4/C-191, Issue no.1	0.01 to 10 µg/l
392.	CHEMICAL/ RESIDUES AND CONTAMINANTS IN	Drinking Water	Dibenz (a,h) anthracene	AL/SOP/6.4/C-191, Issue no.1	0.01 to 10 µg/l



**National Accreditation Board for
Testing and Calibration Laboratories
&
Export Inspection Council
(Ministry of Commerce & Industry, Govt. of
India)**



SCOPE OF ACCREDITATION

Laboratory Name Accurate Universal Laboratories Private Limited, D-171 to 174, 263 to 266, Siddhi Industrial Park, Kazipur Dariyapur, Bardolpura, Ahmedabad, Gujarat

Accreditation Standard ISO/IEC 17025: 2017

Certificate No. TC-5021 (Integrated)

Page No. 49 of 49

Validity 18.04.2025 to 26.03.2027

Last Amended on -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests Performed	Test Method Specification against which tests are performed and / or the techniques / equipment used	Range of Testing / Limits of Detection
393.	WATER CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	Fluoranthene	AL/SOP/6.4/C-191, Issue no.1	0.01 to 10 µg/l
394.	WATER CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	Fluorene	AL/SOP/6.4/C-191, Issue no.1	0.01 to 10 µg/l
395.	WATER CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	Indeno (1,2,3- CD) pyrene	AL/SOP/6.4/C-191, Issue no.1	0.01 to 10 µg/l
396.	WATER CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	Naphthalene	AL/SOP/6.4/C-191, Issue no.1	0.01 to 10 µg/l
397.	WATER CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	Phenanthrene	AL/SOP/6.4/C-191, Issue no.1	0.01 to 10 µg/l
398.	WATER CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	Pyrene	AL/SOP/6.4/C-191, Issue no.1	0.01 to 10 µg/l
399.	WATER CHEMICAL/ RESIDUES AND CONTAMINANTS IN WATER	Drinking Water	Acenaphthene	AL/SOP/6.4/C-191, Issue no.1	0.01 to 10 µg/l